



US00D464592S

(12) **United States Design Patent**
Sinkwitz

(10) **Patent No.:** **US D464,592 S**

(45) **Date of Patent:** **** Oct. 22, 2002**

(54) **SURFACE CONFIGURATION OF A VEHICLE AND/OR TOY**

(75) Inventor: **Hartmut Sinkwitz**, Stuttgart (DE)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/129,138**

(22) Filed: **Sep. 8, 2000**

(51) **LOC (7) Cl.** **12-08**

(52) **U.S. Cl.** **D12/92**

(58) **Field of Search** **D12/90-92; 296/185**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D419,488 S	*	1/2000	Sacco et al.	D12/92
D419,489 S	*	1/2000	Sacco et al.	D12/92
D433,653 S	*	1/2000	Sacco et al.	D12/92
D452,460 S	*	12/2001	Sacco et al.	D12/92

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a vehicle and/or toy, as shown and described.

DESCRIPTION

This application is related to co-pending application Ser. No. 29/129,137, of the inventor, filed on even date herewith and entitled “Surface Configuration of a Headlight for a Vehicle”.

This application is related to co-pending application Ser. No. 29/129,136, of the inventor, filed on even date herewith and entitled “Surface Configuration of a Taillight for a Vehicle”.

This application is related to co-pending application Ser. No. 29/129,135, of the inventor, filed on even date herewith and entitled “Surface Configuration of a Side Mirror for a Vehicle”.

This application is related to co-pending application Ser. No. 29/129,134, of the inventor, filed on even date herewith and entitled “Surface Configuration of a Radiator Grill for a Vehicle”.

This application is related to co-pending application Ser. No. 29/129,133, of the inventor, filed on even date herewith and entitled “Surface Configuration of a Hood for a Vehicle”.

This application is related to co-pending application Ser. No. 29/129,132, of the inventor, filed on even date herewith and entitled “Surface Configuration of a Trunk Lid for a Vehicle”.

This application is related to co-pending application Ser. No. 29/129,131, of the inventor, filed on even date herewith and entitled “Surface Configuration of a Front Bumper for a Vehicle”.

This application is related to co-pending application Ser. No. 29/129,140, of the inventor, filed on even date herewith and entitled “Surface Configuration of a Rear Bumper for a Vehicle”.

This application is related to co-pending application Ser. No. 29/129,139, of the inventor, filed on even date herewith and entitled “Surface Configuration of a Front Fender for a Vehicle”.

This application is related to co-pending application Ser. No. 29/129,130, of the inventor, filed on even date herewith and entitled “Surface Configuration of a Rear Fender for a Vehicle”.

FIG. 1 is a front, left perspective view of a surface configuration of a vehicle and/or toy according to my novel design; FIG. 2 is a front, right perspective view of the surface configuration of a vehicle and/or toy according to my novel design;

FIG. 3 is a left side view of the surface configuration of a vehicle and/or toy according to my novel design;

FIG. 4 is a right side view of the surface configuration of a vehicle and/or toy according to my novel design;

FIG. 5 is a front view of the surface configuration of a vehicle and/or toy according to my novel design;

FIG. 6 is a rear view of the surface configuration of a vehicle and/or toy according to my novel design;


FIG. 7 is a top view of the surface configuration of a vehicle and/or toy according to my novel design;

FIG. 8 is a rear, right perspective view of the surface configuration of a vehicle and/or toy according to my novel design; and,

FIG. 9 is a rear, left perspective view of the surface configuration of a vehicle and/or toy according to my novel design.

The dash lines included depict environment and are not part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9