



US00D464609S

(12) **United States Design Patent**
Johenning et al.

(10) **Patent No.: US D464,609 S**

(45) **Date of Patent: ** Oct. 22, 2002**

(54) **TIRE TREAD**

D387,312 S * 12/1997 Himuro et al. D12/563

(75) Inventors: **Christopher Paul Johenning**,
Wadsworth, OH (US); **Michael Joseph
Weber**, Mogadore, OH (US); **John
Janis Taube**, Tallmadge, OH (US)

OTHER PUBLICATIONS

Dayton Daytona ZR Tire, 2000 Tread Design Guide, Jan.
2000, p. 24. 1/2.*

* cited by examiner

(73) Assignee: **The Goodyear Tire & Rubber
Company**, Akron, OH (US)

Primary Examiner—Robert M. Spear
(74) *Attorney, Agent, or Firm*—David L. King

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/157,734**

The ornamental Design for a tire tread, as shown and
described.

(22) Filed: **Mar. 25, 2002**

DESCRIPTION

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/558**

(58) **Field of Search** D12/544, 546,
D12/547, 549, 551, 553, 554, 555, 558,
559, 560, 561, 562, 563, 564, 565, 566,
567, 579, 586, 588, 589, 590, 591, 595,
603; 152/209.1, 209.12, 209.13, 209.26,
209.27, 209.28

FIG. 1 is a perspective view of a tire tread showing our new
design, it being understood that the pattern repeats uni-
formly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof, the opposite side
elevational view being a mirror image thereof; and,
FIG. 4 is an enlarged fragmentary perspective view.


(56) **References Cited**

U.S. PATENT DOCUMENTS

4,667,717 A * 5/1987 Graas 152/209.18
D370,880 S * 6/1996 Graas D12/551
D379,449 S * 5/1997 Graas et al. D12/551

In the drawings, the broken lines defining the sidewall and
inner bead and the peripheral boundary between the tire
tread and the sidewall are for illustrative purposes only and
form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4