



US00D464975S

(12) **United States Design Patent**
Lott

(10) **Patent No.:** **US D464,975 S**

(45) **Date of Patent:** **** Oct. 29, 2002**

(54) **HEATED FUEL TANK**

D450,714 S * 11/2001 Gaylord D15/5
D459,364 S * 6/2002 Van Den Brink et al. D15/5

(76) Inventor: **James H Lott**, 135 State Rte. 225,
Henderson, TN (US) 38340

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Melody N. Brown

(21) Appl. No.: **29/152,351**

(57) **CLAIM**

(22) Filed: **Dec. 14, 2001**

The ornamental design for a heated fuel tank, as shown and described.

(51) **LOC (7) Cl.** **15-01**

DESCRIPTION

(52) **U.S. Cl.** **D15/5**

(58) **Field of Search** D15/1-5; D12/400;
123/446, 549, 557, 198 E, 317, 319

FIG. 1 is a front elevational view of the heated fuel tank of the present invention;

FIG. 2 is a rear elevational view of the heated fuel tank of FIG. 1;

FIG. 3 is a left side elevational view of the heated fuel tank of FIG. 1;

FIG. 4 is a right side elevational view of the heated fuel tank of FIG. 1;

FIG. 5 is a top plan view of the heated fuel tank of FIG.1; and,


FIG. 6 is a bottom plan view of the heated fuel tank of FIG. 1.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,475,340	A	10/1984	Tseng	
4,489,708	A	12/1984	Yamamoto et al.	
4,807,584	A	2/1989	Davis	
4,926,830	A	5/1990	McNelley	
5,005,551	A	4/1991	McNelley	
5,097,813	A	3/1992	Reiser et al.	
D375,288	S	* 11/1996	Tanaka D12/400
D404,020	S	1/1999	Zimmerman	
D430,576	S	* 9/2000	Sada D15/5

1 Claim, 3 Drawing Sheets






FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6