



US00D465169S

(12) **United States Design Patent**
Gregorich

(10) **Patent No.: US D465,169 S**

(45) **Date of Patent: ** Nov. 5, 2002**

(54) **BUOY**

(76) **Inventor: John Gregorich**, 9290 Osborn Rd.,
Britt, MN (US) 55710

(**) **Term: 14 Years**

(21) **Appl. No.: 29/149,615**

(22) **Filed: Oct. 11, 2001**

(51) **LOC (7) Cl. 10-05**

(52) **U.S. Cl. D10/107**

(58) **Field of Search D10/107; 441/1-34**

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,528,851 A * 6/1996 Feher 441/28 X
D440,017 S * 4/2001 Berger-North et al. D10/107

* cited by examiner

Primary Examiner—Antoine Duval Davis

(74) *Attorney, Agent, or Firm*—Fredrikson & Byron, P.A.

(57)

CLAIM

The ornamental design for a buoy, as shown and described.

DESCRIPTION

FIG. 1 is a view of a buoy of the design shown as typically used with a boat, boat tether, anchor, anchor tether, water-line, and submerged bottom ground shown in dotted lines that form no part of the claimed invention;

FIG. 2 is a perspective view of the buoy of the design as seen from the top and a side;

FIG. 3 is a perspective view thereof as seen from the bottom and a side;

FIG. 4 is a side elevation view thereof, the opposite side being a mirror image;

FIG. 5 is an end elevation view as seen from right to left of the view shown in FIG. 4, the opposite end being a mirror image;

FIG. 6 is a top elevation view as seen from right to left of the view shown in FIG. 3; and,

FIG. 7 is a bottom elevation view as seen from right to left of the view shown in FIG. 3.

1 Claim, 4 Drawing Sheets





FIG. 1






FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7