



US00D465214S

(12) **United States Design Patent**  
**Mirabelli et al.**

(10) **Patent No.:** **US D465,214 S**

(45) **Date of Patent:** **\*\* Nov. 5, 2002**

(54) **GPS RECEIVER**

(75) Inventors: **Anthony Alfred Mirabelli**, Arlington Heights, IL (US); **Jean Ellen Ambrosiewicz**, Arlington Heights, IL (US); **Gilberto Cavada**, Chicago, IL (US); **Frank Poggio**, Hoffman Estates, IL (US); **Mark Robert Gartz**, Mount Prospect, IL (US); **Jimmy-Quang Viet Doan**, Chicago, IL (US); **Vicky Chi-Wan Kwong**, Kung Tong (HK)

(73) Assignee: **Cobra Electronics Corporation**, Chicago, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/153,157**

(22) Filed: **Jan. 4, 2002**

(51) **LOC (7) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/230**

(58) **Field of Search** ..... D14/230-238,  
D14/155, 137, 341, 343-345; 455/90, 128,  
347; 343/872, 702, 873

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D415,497 S	*	10/1999	Seifert	.....	D14/238
D422,999 S	*	4/2000	Overton et al.	.....	D14/230
D428,876 S	*	8/2000	Renkis	.....	D14/230
D455,419 S	*	4/2002	Inoue	.....	D14/235

**OTHER PUBLICATIONS**

Photographs of GPS 12XL, Rino 110/120,GPSMAP 76S, and eTrex Legend Receivers by Garmin International, Inc., Olathe, KS.

Photographs of Magellan's GPS ColorTrak, Blazer12, Map 330, and Meridian GPS Receivers by Thales Navigation, Santa Clara, CA.

Cabela's Fall 2001 Master Catalog p. 377 assorted GPS devices.\*

\* cited by examiner

*Primary Examiner*—Louis S Zarfaz

*Assistant Examiner*—Deanne Levy

(74) *Attorney, Agent, or Firm*—Wallenstein & Wagner, Ltd.

(57) **CLAIM**

What is claimed is the ornamental design for a GPS receiver, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first preferred embodiment of a GPS receiver.

FIG. 2 is a bottom view of the GPS receiver of FIG. 1.

FIG. 3 is a top view of the GPS receiver of FIG. 1.

FIG. 4 is a front view of the GPS receiver of FIG. 1.

FIG. 5 is a first side view of the GPS receiver of FIG. 1.

FIG. 6 is a second side view of the GPS receiver of FIG. 1.

FIG. 7 is a rear view of the GPS receiver of FIG. 1.

FIG. 8 is a perspective view of an alternative preferred embodiment of a GPS receiver.

FIG. 9 is a bottom view of the GPS receiver of FIG. 8.

FIG. 10 is a top view of the GPS receiver of FIG. 8.

FIG. 11 is a front view of the GPS receiver of FIG. 8.

FIG. 12 is a first side view of the GPS receiver of FIG. 8; and,

FIG. 13 is a second side view of the GPS receiver of FIG. 8.

Broken lines in the Figures form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

