



US00D465224S

(12) **United States Design Patent**  
**Amemiya et al.**

(10) **Patent No.:** **US D465,224 S**

(45) **Date of Patent:** **\*\* Nov. 5, 2002**

(54) **FACSIMILE TRANSMITTER-RECEIVER**

(75) Inventors: **Kanae Amemiya**, Tokyo (JP), now by change of name from Kanae Nomura; **Kohji Hikawa**, Tokyo (JP); **Masaaki Kabumoto**, Chiba (JP)

(73) Assignee: **Ricoh Company, Ltd.**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/149,814**

(22) Filed: **Oct. 19, 2001**

(30) **Foreign Application Priority Data**

Apr. 20, 2001 (JP) ..... 2001-011622

(51) **LOC (7) Cl.** ..... **16-03**

(52) **U.S. Cl.** ..... **D14/463**

(58) **Field of Search** ..... D14/462-471;  
358/400, 401; D18/36, 37, 50

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,610,724 A \* 3/1997 Kaneko et al. .... 358/400

5,796,496 A \* 8/1998 Ono ..... 358/400

5,877,864 A \* 3/1999 Simida et al. .... 358/401

D417,866 S \* 12/1999 Mitsui ..... D14/470

D450,709 S \* 11/2001 Nakamura ..... D14/463

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Dickstein Shapiro Morin & Oshinsky LLP

(57) **CLAIM**

The ornamental design for the facsimile transmitter-receiver, as shown.

**DESCRIPTION**

FIG. 1 is a front elevation of a facsimile transmitter-receiver showing our new design; FIG. 2 is a rear elevation thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a right side elevation thereof; FIG. 6 is a left side elevation thereof; and, FIG. 7 is a top, front and right side perspective view thereof.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

