



US00D465466S

(12) **United States Design Patent**
Hyun

(10) **Patent No.:** **US D465,466 S**

(45) **Date of Patent:** **** Nov. 12, 2002**

(54) **PORTABLE PHONE**

D456,378 S * 4/2002 Fujimoto D14/138

(75) Inventor: **Sang Min Hyun**, Goyang (KR)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Samsung Electronics Co., Ltd.**, Suwon (KR)

JP 8-949173 * 3/1996
JP 982631 * 6/1997

(**) Term: **14 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/150,540**

www.nttdocomo/. . . N502i, 209iS, and 209i phones Sep. 26, 2000.*

(22) Filed: **Nov. 14, 2001**

* cited by examiner

(30) **Foreign Application Priority Data**

May 15, 2001 (KR) 01-0012869

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Hughes Hubbard & Reed LLP; Ronald Abramson; Peter A. Sullivan

(51) **LOC (7) Cl.** **14-03**

(57) **CLAIM**

(52) **U.S. Cl.** **D14/138**

I claim the ornamental design for a portable phone, as shown.

(58) **Field of Search** D14/137, 138, D14/218, 147–148, 247–248, 144, 341–347; 379/433.01–433.13, 419, 434, 428.01–428.04, 420.01–420.04, 440; 455/550–575, 90

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D386,185 S * 11/1997 Cho D14/218
- D397,689 S * 9/1998 Harris et al. D14/138
- D420,668 S * 2/2000 Choi D14/218
- D430,859 S * 9/2000 Lindeman et al. D14/138
- D432,510 S * 10/2000 Hyun D14/138
- D440,955 S * 4/2001 Tanaka et al. D14/138
- D445,410 S * 7/2001 Yoo et al. D14/138
- D445,412 S * 7/2001 Lee et al. D14/138
- D445,771 S * 7/2001 Kim D14/138
- 6,254,249 B1 * 7/2001 Kim et al. 362/109
- D446,201 S * 8/2001 Kim D14/138
- D447,128 S * 8/2001 Lee et al. D14/138
- D447,741 S * 9/2001 Lee et al. D14/138
- D448,745 S * 10/2001 Kim D14/138
- D449,284 S * 10/2001 Kim et al. D14/138
- D449,605 S * 10/2001 Schebesch et al. D14/345
- D450,672 S * 11/2001 Arbisi et al. D14/138
- D455,135 S * 4/2002 Hyun D14/138
- D455,414 S * 4/2002 Lee et al. D14/138

FIG. 1 is a perspective view of the portable phone in a closed position.

FIG. 2 is a front elevation view of the portable phone in a closed position.

FIG. 3 is a rear elevation view of the portable phone in a closed position.

FIG. 4 is a left side view of the portable phone in a closed position.

FIG. 5 is a right side view of the portable phone in a closed position.


FIG. 6 is a top view of the portable phone in a closed position.

FIG. 7 is a bottom view of the portable phone in a closed position; and,

FIG. 8 is a perspective view of the portable phone in an open position.

The broken line showings throughout the views are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8