



US00D465562S

(12) **United States Design Patent**
Moore

(10) **Patent No.:** **US D465,562 S**

(45) **Date of Patent:** **** Nov. 12, 2002**

(54) **WATER CLOSET**

(75) Inventor: **Garry Moore, Ilford (GB)**

(73) Assignee: **Phoenix Product Development Limited, London (GB)**

(**) Term: **14 Years**

(21) Appl. No.: **29/150,309**

(22) Filed: **Nov. 20, 2001**

(30) **Foreign Application Priority Data**

May 23, 2001 (GB) 2102006

(51) **LOC (7) Cl.** **23-02**

(52) **U.S. Cl.** **D23/295**

(58) **Field of Search** D23/270-272,
D23/295-299, 301, 303, 309-312; 4/663,
667, 300, 300.3, 313, 347, 420.2, 420.3,
443, 446, 217, 234, 237-239, 242.1, 902,
DIG. 15, 332

(56) **References Cited**

U.S. PATENT DOCUMENTS

D199,235 S	*	9/1964	Tiller	D23/301
3,932,901 A	*	1/1976	Inui et al.	4/332
D275,515 S	*	9/1984	Kaiser	D23/295
D275,599 S	*	9/1984	Enthoven	D23/295 X
D288,590 S	*	3/1987	Stairs, Jr.	D23/295
D311,435 S	*	10/1990	Cheng	D23/301
D343,892 S	*	2/1994	Chen	D23/301

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Robert A. Delehanty

(74) *Attorney, Agent, or Firm*—Greer, Burns & Crain, Ltd.

(57) **CLAIM**

The ornamental design for a water closet, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the water closet having a lid and a seat which are shown in a lowered position.

FIG. 2 is a side view of the water closet shown in FIG. 1;

FIG. 3 is a plan view of the water closet shown in FIG. 1;

FIG. 4 is a rear perspective view of the water closet shown in FIG. 1;

FIG. 5 is a front perspective view of the water closet shown in FIG. 1;

FIG. 6 is a front view of the water closet shown in FIG. 1 but showing the lid in a raised position and the seat in the lowered position;

FIG. 7 is a side view of the water closet shown in FIG. 6;

FIG. 8 is a plan view of the water closet shown in FIG. 6;

FIG. 9 is a rear perspective view of the water closet shown in FIG. 6;

FIG. 10 is a front perspective view of the water closet shown in FIG. 6;

FIG. 11 is a front view of the water closet shown in FIG. 1 but showing the lid in a raised position and the seat in a partially raised position;

FIG. 12 is a side view of the water closet shown in FIG. 11;

FIG. 13 is a plan view of the water closet shown in FIG. 11;

FIG. 14 is a rear perspective view of the water closet shown in FIG. 11;

FIG. 15 is a front perspective view of the water closet shown in FIG. 11;

FIG. 16 is a front view of the water closet shown in FIG. 1 but showing the lid and the seat in a fully raised position;


FIG. 17 is a side view of the water closet shown in FIG. 16;

FIG. 18 is a plan view of the water closet shown in FIG. 16;

FIG. 19 is a rear perspective view of the water closet shown in FIG. 16; and,

FIG. 20 is a front perspective view of the water closet shown in FIG. 16.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20