



US00D465577S

(12) **United States Design Patent**
Kato et al.

(10) **Patent No.:** **US D465,577 S**

(45) **Date of Patent:** **** Nov. 12, 2002**

(54) **MESSAGE MACHINE**

(76) Inventors: **Sei Kato**, 502, Takabari 5-chome,
Meito-ku, Nagoya-shi, Aichi-ken (JP);
Kunio Hotta, c/o 177, Sukaakamatsu,
Masaki-cho, Hashima-shi, Gifu-ken (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/141,698**

(22) Filed: **May 11, 2001**

(51) **LOC (7) Cl.** **28-03**

(52) **U.S. Cl.** **D24/215**

(58) **Field of Search** D24/215, 200;
601/15, 18, 21, 46.5, 84, 85, 70, 134, 113,
138

(56) **References Cited**

U.S. PATENT DOCUMENTS

D310,416 S	*	9/1990	Yamasaki	D24/211
D330,597 S	*	10/1992	Teranishi	D24/215
5,183,034 A	*	2/1993	Yamasaki et al.	601/70
D351,024 S	*	9/1994	Chou	D24/215
D384,750 S	*	10/1997	Lin	D24/215

FOREIGN PATENT DOCUMENTS

JP 11-244349 9/1999

* cited by examiner

Primary Examiner—Stella Reid

(74) *Attorney, Agent, or Firm*—Morgan, Lewis & Bockius
LLP

(57) **CLAIM**

The ornamental design for a message machine, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of the message machine.

FIG. 2 is a top view of the first embodiment of the message machine.

FIG. 3 is a front view of the first embodiment of the message machine.



FIG. 4 is a right side view of the first embodiment of the message machine, the left side view being a mirror image thereof.

FIG. 5 is a rear view of the first embodiment of the message machine; and,

FIG. 6 is a top view of a second embodiment of the message machine.

The bottom view of the message machine is plain and unornamented.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6