



US00D465673S

(12) **United States Design Patent**
Marsilio et al.

(10) **Patent No.:** **US D465,673 S**

(45) **Date of Patent:** **** Nov. 19, 2002**

(54) **DISC RETAINING DEVICE**

(75) Inventors: **Ronald M. Marsilio**, Canton, OH (US);
James M. Byrne, Massillon, OH (US)

(73) Assignee: **Nexpak Corporation**, North Canton,
OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/137,378**

(22) Filed: **Feb. 20, 2001**

(51) **LOC (7) Cl.** **06-04**

(52) **U.S. Cl.** **D6/407; D6/635**

(58) **Field of Search** D3/201, 218; D6/407,
D6/626-635; D19/26, 27, 32; 206/307.1,
308.1, 308.2, 308.3, 309, 311, 312, 387.11,
387.13, 387.15; 369/37, 75.2, 291; 379/355

(56) **References Cited**



U.S. PATENT DOCUMENTS

D238,111 S * 12/1975 Shyers
4,089,414 A * 5/1978 Sandor et al. 206/308.3
4,120,398 A * 10/1978 Braddon, Sr. 206/408
4,535,888 A * 8/1985 Nusselder 206/311
4,614,269 A * 9/1986 Dietze et al. 206/387.1
4,702,369 A * 10/1987 Philosophe 206/312
4,750,618 A * 6/1988 Schubert 206/308.2
4,793,479 A * 12/1988 Otsuka et al. 206/308.1
4,903,829 A * 2/1990 Clemens 206/308.1
D318,368 S * 7/1991 Evans D6/634
D319,540 S * 9/1991 Hehn D6/509
5,101,971 A * 4/1992 Grobecker 206/232
5,168,991 A * 12/1992 Whitehead et al. 206/758
D335,215 S * 5/1993 Stumpff D6/634
5,238,107 A * 8/1993 Kownacki 206/308.1
5,249,677 A * 10/1993 Lim 206/308.1
5,251,750 A * 10/1993 Gelardi et al. 206/308.1
5,299,186 A * 3/1994 Tsurushima 206/308.1
D351,963 S * 11/1994 Lim D6/631
5,400,902 A * 3/1995 Kaminski 206/310
5,417,324 A * 5/1995 Joyce et al. 206/310
5,477,960 A * 12/1995 Chen 206/308.1
5,494,156 A * 2/1996 Nies

5,533,614 A * 7/1996 Walker 206/308.1
5,593,030 A * 1/1997 Tell 206/308.1
D378,333 S * 3/1997 Anderson D6/632
5,609,249 A * 3/1997 Cheng 206/308.1
D379,413 S * 5/1997 Swanick D6/627
5,626,225 A * 5/1997 Joyce, Jr. 206/308.1
5,651,458 A * 7/1997 Brosmith et al. 206/308.1
D385,145 S * 10/1997 VerWeyst et al. D6/632
5,685,425 A * 11/1997 Choi 206/310
5,685,427 A * 11/1997 Kuitems et al. 206/310
5,713,461 A * 2/1998 Su 206/303
5,727,680 A * 3/1998 Liu 206/308.1
5,769,217 A * 6/1998 Derraugh et al. 206/308.1
5,772,021 A * 6/1998 Bolenbaugh et al. 206/310
5,775,491 A * 7/1998 Taniyama 206/308.1
5,788,068 A * 8/1998 Fraser et al. 206/310
5,799,782 A * 9/1998 Gelardi 306/308.1
D408,202 S * 4/1999 Jacobson D6/626
5,894,924 A * 4/1999 Koch 206/310
5,896,985 A * 4/1999 Nakasuji 206/308.2
5,896,986 A * 4/1999 Bologna et al. 206/310
5,944,181 A * 8/1999 Lau 206/308.1
5,950,822 A * 9/1999 Cloran et al. 206/310
5,960,949 A * 10/1999 Wynalda, Jr. 206/307.1
5,996,788 A * 12/1999 Belden, Jr. et al. 206/310
D421,870 S * 3/2000 Boucard D6/627
D426,721 S * 6/2000 Benden, Jr. et al. D6/407
D426,978 S * 6/2000 Belden, Jr. et al. D6/407
6,092,650 A * 7/2000 Budnik 206/232
D430,424 S * 9/2000 Belden, Jr. et al. D6/407
6,123,192 A * 9/2000 Rufo, Jr. 206/310
D434,777 S * 12/2000 Peterson et al. D14/484
6,155,417 A * 12/2000 Flores, Jr. et al. 206/308.1
6,164,446 A * 12/2000 Law 206/308.1
D436,359 S * 1/2001 Bertrand et al. D14/479
6,170,656 B1 * 1/2001 Cerda-Vilaplana et al. 206/
308.1
D437,171 S * 2/2001 Cuadrado-Serena D6/632
D437,520 S * 2/2001 Choi D6/632
D439,435 S * 3/2001 Belden, Jr. et al. D6/407
6,196,384 B1 * 3/2001 Belden, Jr. 206/308.1
6,227,362 B1 * 5/2001 Cheung 206/308.1
6,237,763 B1 * 5/2001 Lau 206/308.1
6,241,089 B1 * 6/2001 Grobecker 206/310
6,250,461 B1 * 6/2001 Hu 206/310

* cited by examiner

Primary Examiner—Celia Murphy



(74) *Attorney, Agent, or Firm*—Sand & Sebolt

(57)

CLAIM

The ornamental design for disc retaining device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the disc retaining device

showing our new design.

FIG. 2 is a top plan view of FIG. 1;

FIG. 3 is a right side elevation view of FIG. 2; and,

FIG. 4 is a front elevation view of FIG. 2.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets




FIG-1




FIG-2




FIG-3




FIG-4