



US00D465816S

(12) **United States Design Patent**
Sorensen

(10) **Patent No.:** **US D465,816 S**

(45) **Date of Patent:** **** Nov. 19, 2002**

(54) **TOY BUILDING ELEMENT**

(76) **Inventor:** **Soren Christian Sorensen**, PO Box
256 North Side, Cayman Kai, Grand
Cayman (KY)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/156,861**

(22) **Filed:** **Mar. 8, 2002**

Related U.S. Application Data

(63) Continuation-in-part of application No. 09/889,621, filed on Jul. 17, 2001, which is a continuation-in-part of application No. 09/246,317, filed on Feb. 8, 1999, now Pat. No. 6,250,986.

(51) **LOC (7) Cl.** **21-01**

(52) **U.S. Cl.** **D21/500**

(58) **Field of Search** D21/484, 499,
D21/500, 503, 486, 489-491, 501-502,
504-505; 446/85, 108-116, 117, 120-122,
124, 125, 128

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,132,757 A	10/1938	Paulson	
2,472,363 A	6/1949	Blackinton	
3,877,170 A	4/1975	Bakker	
D238,168 S	12/1975	Ketcham	
D249,230 S	9/1978	Van Der Veken	
D249,232 S	9/1978	Van Der Veken	
4,792,319 A	* 12/1988	Svagerko	446/128
D317,477 S	* 6/1991	Poulsen	D21/500
5,049,105 A	9/1991	Glickman	
5,267,863 A	12/1993	Simmons, Jr.	
D344,300 S	2/1994	Knudsen	
D354,319 S	1/1995	Wilson	
D362,875 S	* 10/1995	Vognsen	D21/500
5,471,808 A	12/1995	De Pieri et al.	
5,493,816 A	* 2/1996	Willemsen	446/125
D368,939 S	4/1996	Frederiksen	
D370,503 S	* 6/1996	Burns	D21/500

5,527,201 A	6/1996	Maddock	
D371,398 S	* 7/1996	Glynn	D21/500
D378,837 S	* 4/1997	Olsen	D21/500
5,653,621 A	* 8/1997	Yao	446/85
5,848,927 A	12/1998	Frederiksen	
D403,721 S	1/1999	Bean	
D430,231 S	* 8/2000	Sorensen	D21/499
D435,609 S	* 12/2000	Sorensen	D21/503
D437,895 S	2/2001	Sorensen	
6,250,986 B1	6/2001	Sorensen	
D445,148 S	* 7/2001	McIntosh	D21/500
D456,048 S	4/2002	Sorensen	
D456,462 S	4/2002	Sorensen	
D456,463 S	4/2002	Sorensen	

FOREIGN PATENT DOCUMENTS

FR	00 0600	5/2000
WO	WO 93/04749	3/1993
WO	WO 00/47302	8/2000

* cited by examiner

Primary Examiner—Raphael Barkai
(74) *Attorney, Agent, or Firm*—Edward W. Callan

(57) **CLAIM**

The ornamental design for a toy building element, as shown and described.

DESCRIPTION

It is intended that the toy building element of the present invention be used in a set of toy building elements that are capable of being interconnected in a releasable engagement. FIG. 1 is a top perspective view of the toy building element. FIG. 2 is a top view of the toy building element shown in FIG. 1. FIG. 3 is a left side view of the toy building element shown in FIG. 1, the right side view being identical. FIG. 4 is a front view of the toy building element shown in FIG. 1, the rear view being identical; and, FIG. 5 is a bottom perspective view of the toy building element shown in FIG. 1. The bottom view does not form part of the claimed design.

1 Claim, 1 Drawing Sheet




FIG. 1




FIG. 5





FIG. 4




FIG. 2




FIG. 3