

US00D465864S

(12) **United States Design Patent** (10) **Patent No.:** **US D465,864 S**  
**Shiu** (45) **Date of Patent:** **\*\* Nov. 19, 2002**

(54) **EXTENDABLE FLASHLIGHT**

**DESCRIPTION**

(75) Inventor: **Stephanie Wai Man Shiu**, Kowloon (HK)

(73) Assignee: **Gold Coral International Limited**, Hong Kong (CN)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/152,690**

(22) Filed: **Dec. 20, 2001**

(30) **Foreign Application Priority Data**

Aug. 9, 2001 (HK) ..... 0111173

(51) **LOC (7) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/37**

(58) **Field of Search** ..... D26/37-50; 362/157, 362/158, 171, 172, 173, 183-208

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D429,831 S \* 8/2000 Ting ..... D26/37

D445,926 S \* 7/2001 Cheong ..... D26/37

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Mitchell Silberberg & Knupp LLP

(57) **CLAIM**

The ornamental design for an extendable flashlight, as shown and described.

FIG. 1 is a top plan view of an extendable flashlight showing the new design;

FIG. 2 is a bottom plan view thereof;

FIG. 3 is a left side elevational view thereof, with the right side elevational view being the mirror image of the left side elevational view;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof; and

FIG. 6 is a left side elevational view thereof, with the flashlight fully extended.

FIG. 7 is a top plan view of an extendable flashlight showing a second embodiment of the new design;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a left side elevational view thereof, with the right side elevational view being the mirror image of the left side elevational view;


FIG. 10 is a front elevational view thereof;

FIG. 11 is a rear elevational view thereof; and,

FIG. 12 is a left side elevational view thereof, with the flashlight fully extended.

The extension portion of the flashlight, when fully extended, is as shown in FIGS. 6 and 12 when viewed from any of the top, bottom, left or right sides. The appearance of the top and bottom portions of the unextended flashlight in the top, bottom, right and left side elevational views do not change when the flashlight is extended, although when the flashlight is extended such top and bottom portions are separated by the extension portion of the flashlight, as shown in FIGS. 6 and 12. Similarly, the front and rear elevational views do not change when the flashlight is extended.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3

FIG. 4






FIG. 6

FIG. 5






FIG. 7




FIG. 8




FIG. 9



FIG. 10





FIG. 12

FIG. 11

