



US00D466029S

(12) **United States Design Patent**
Joss et al.

(10) **Patent No.:** **US D466,029 S**

(45) **Date of Patent:** **** Nov. 26, 2002**

(54) **CLOCK WITH STAND**

(75) Inventors: **Michael Joss**, Chicago, IL (US); **Kevin Short**, LaGrange, IL (US); **Owen A. Slater**, Chicago, IL (US)

(73) Assignee: **Thermos L.L.C.**, Schaumburg, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/161,368**

(22) Filed: **May 29, 2002**

(51) **LOC (7) Cl.** **10-01**

(52) **U.S. Cl.** **D10/22; D10/23**

(58) **Field of Search** D10/1-40, 122-132;
368/276-277, 285, 316-317

(56) **References Cited**

U.S. PATENT DOCUMENTS

D187,076 S	*	1/1960	Anderson	D10/22
D190,749 S	*	6/1961	Marti et al.	D10/1
D208,998 S	*	10/1967	Jeurenaud	D10/22 X
D264,443 S	*	5/1982	Diskin	D10/22
D270,335 S	*	8/1983	Lam	D10/4
D347,796 S	*	6/1994	Wolff	D10/22

* cited by examiner

Primary Examiner—Nelson C. Holtje

(74) *Attorney, Agent, or Firm*—Wood, Phillips, Katz, Clark & Mortimer

(57) **CLAIM**

The ornamental design of a clock with stand, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of our clock with stand design taken from the upper right front;

FIG. 2 is a perspective view of our clock with stand design taken from the lower left rear;

FIG. 3 is a plan view of our clock with stand design;

FIG. 4 is a right side elevation of our clock with stand design, it being understood that a left side elevation is a mirror image of this FIG. 4;

FIG. 5 is a front elevation of our clock with stand design; and,

FIG. 6 is a rear elevation of our clock with stand design.

It is to be understood that the bottom of our clock with stand design is plain and unornamented.

The broken line showing of a dial face is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

