

US00D466078S

(12) **United States Design Patent**
Bowman

(10) **Patent No.:** **US D466,078 S**

(45) **Date of Patent:** **** Nov. 26, 2002**

(54) **CURRENT MONITOR**

6,344,951 B1 * 2/2002 Sato et al. 360/316
6,373,238 B2 4/2002 Lewis et al. 324/107

(75) Inventor: **Marc Bowman**, McMinnville, OR (US)

* cited by examiner

(73) Assignee: **Veris Industries, LLC**, Portland, OR (US)

Primary Examiner—Lisa Lichtenstein

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Chernoff, Vilhauer, McClung & Stenzel, LLP

(21) Appl. No.: **29/158,045**

(57) **CLAIM**

(22) Filed: **Mar. 26, 2002**

The ornamental design for a current monitor, as shown and described.

Related U.S. Application Data

DESCRIPTION

(60) Provisional application No. 60/337,920, filed on Dec. 5, 2001.

FIG. 1 is a perspective view of a current monitor;

(51) **LOC (7) Cl.** **13-03**

FIG. 2 is a right side view thereof;

(52) **U.S. Cl.** **D13/123**

FIG. 3 is a top view thereof;

(58) **Field of Search** D13/123; 361/56, 361/111, 118, 93.1; 356/246; 324/107

FIG. 4 is a left side view thereof;

FIG. 5 is a left end view thereof; and,

FIG. 6 is a right end view thereof.


(56) **References Cited**

The broken line showing of environmental structure in FIGS. 1–5 is for illustrative purposes only and forms no part of the claimed design.

U.S. PATENT DOCUMENTS

6,133,723 A * 10/2000 Feight 324/133
6,146,109 A * 11/2000 Davis et al. 417/244

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6