



US00D466090S

(12) **United States Design Patent** (10) **Patent No.:** **US D466,090 S**
Bennett et al. (45) **Date of Patent:** **** Nov. 26, 2002**

(54) **KEYPAD FOR CONTROLLING SHADES AND LIGHTS**

(75) Inventors: **David S. Bennett**, Bethlehem, PA (US);
Elliot G. Jacoby, Glenside, PA (US)

(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/158,919**

(22) Filed: **Apr. 12, 2002**

(51) **LOC (7) Cl.** **13-03**

(52) **U.S. Cl.** **D13/164**

(58) **Field of Search** D8/350, 351, 352,
D8/353; D13/162, 164, 170, 171, 174,
177; 174/48, 52.1, 66, 67; 200/42.01, 237,
293, 308; 315/291, 295

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|-----------------|-------|---------|
| D184,263 S | * | 1/1959 | McCarthy | | D8/353 |
| D310,819 S | * | 9/1990 | Watson et al. | | D13/125 |
| D311,678 S | * | 10/1990 | Graef et al. | | D8/353 |
| D378,814 S | * | 4/1997 | Adams et al. | | D13/164 |
| D412,155 S | * | 7/1999 | Gatchell et al. | | D13/164 |
| D412,315 S | * | 7/1999 | Mayo et al. | | D13/164 |
| D412,491 S | * | 8/1999 | Mayo et al. | | D13/164 |
| D412,492 S | * | 8/1999 | Gatchell et al. | | D13/164 |
| D422,567 S | * | 4/2000 | Mayo et al. | | D13/162 |
| D435,023 S | * | 12/2000 | Carson et al. | | D13/177 |
| D436,930 S | * | 1/2001 | Butler | | D13/162 |
| D453,742 S | * | 2/2002 | Butler et al. | | D13/164 |
| D456,783 S | * | 5/2002 | Mayo et al. | | D13/164 |

* cited by examiner

Primary Examiner—James Gandy

Assistant Examiner—Selina Sikder

(74) *Attorney, Agent, or Firm*—Mark E. Rose

(57) **CLAIM**

The ornamental design for a keypad for controlling shades and lights, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a first embodiment of a keypad for controlling shades and lights of the design according to the invention.

FIG. 2 is an isometric view of FIG. 1.

FIG. 3 is a top plan view of FIG. 1.

FIG. 4 is a bottom plan view of FIG. 1.

FIG. 5 is a left side elevational view of FIG. 1.

FIG. 6 is a right side elevational view of FIG. 1.

FIG. 7 is a front elevational view of a second embodiment of the design according to the invention.

FIG. 8 is an isometric view of FIG. 7.

FIG. 9 is a top plan view of FIG. 7.

The bottom plan, left side elevational, and right side elevational views of FIG. 7 are the same as the bottom plan, left side elevational, and right side elevational views of FIG. 1 and are shown in FIGS. 4, 5, and 6, respectively.

FIG. 10 is a front elevational view of a third embodiment of the design according to the invention.

FIG. 11 is an isometric view of FIG. 10.

FIG. 12 is a top plan view of FIG. 10.

FIG. 13 is a bottom plan view of FIG. 10.

FIG. 14 is a left side elevational view of FIG. 10.

FIG. 15 is a right side elevational view of FIG. 10.

FIG. 16 is a front elevational view of a fourth embodiment of the design according to the invention.

FIG. 17 is an isometric view of FIG. 16; and,


FIG. 18 is a top plan view of FIG. 16.

The bottom plan, left side elevational, and right side elevational views of FIG. 16 are the same as the bottom plan, left side elevational, and right side elevational views of FIG. 10 and are shown in FIGS. 13, 14 and 15, respectively.

The rear of all four embodiments forms not part of the claimed design.

The broken line showing of environmental structure in all views of the drawing is for illustrative purposes only and forms not part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 9




FIG. 8




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 18




FIG. 17