



US00D466114S

(12) **United States Design Patent**
Nakata

(10) **Patent No.:** **US D466,114 S**

(45) **Date of Patent:** **** Nov. 26, 2002**

(54) **COORDINATE INPUT DEVICE**

(75) Inventor: **Takaaki Nakata**, Otone-machi (JP)

(73) Assignee: **Kabushikikaisha Wacom** (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/154,470**

(22) Filed: **Jan. 23, 2002**

(30) **Foreign Application Priority Data**

Oct. 26, 2001 (JP) 2001-031387

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/339**

(58) **Field of Search** D14/341-346,
D14/336, 339, 389; D18/1, 2, 7; 235/145 A,
145 R; 341/22, 23; 345/156, 168, 169,
172, 173; 349/12; 361/680-686; 33/1 M,
443; D10/63

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,424,630 A * 7/1947 Perez 33/443
4,611,406 A * 9/1986 Engstrom et al. 33/443

D340,701 S * 10/1993 Takeuchi D14/341
D349,691 S * 8/1994 Takeichi et al. D14/339
D398,593 S * 9/1998 Tominaga et al. D14/339
D436,951 S * 1/2001 Andresen D14/336
D451,505 S * 12/2001 Iseki et al. D14/341

* cited by examiner

Primary Examiner—Freda Nunn

(74) *Attorney, Agent, or Firm*—Adams & Wilks


(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a coordinate input device showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front, right perspective view thereof; and,
FIG. 8 is a front, right perspective view thereof with the stylus pen stand detached.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8