



US00D466394S

(12) **United States Design Patent** (10) **Patent No.:** **US D466,394 S**
Neider et al. (45) **Date of Patent:** **** Dec. 3, 2002**

(54) **BASE FOR A PIPE SUPPORTING DEVICE**

(75) Inventors: **Michael A. Neider**, Sandy, UT (US);
Nathan M. Sargent, Coalville, UT (US)

(73) Assignee: **Miro Industries, Inc.**, Sandy, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/146,997**

(22) Filed: **Aug. 20, 2001**

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/354**

(58) **Field of Search** D8/349, 354, 355,
D8/373; 211/13.1, 22; 248/49, 73, 146,
158, 188.1, 310, 346.01, 346.02, 346.03,
346.04, 346.05, 519, 529, 676, 677, 678,
903, 910

(56) **References Cited**

U.S. PATENT DOCUMENTS

827,575 A	7/1906	Smead	
1,788,939 A	1/1931	Axlund	
1,970,840 A	8/1934	Cardwell et al.	
2,103,811 A	12/1937	Davis	
2,893,669 A	7/1959	Kindorf	
3,253,416 A	5/1966	Madison	
4,078,757 A	* 3/1978	Waters	248/158
4,502,563 A	3/1985	Curtis, Jr.	
4,513,934 A	4/1985	Pruyne	
4,726,222 A	2/1988	Schueller	
4,877,206 A	10/1989	Barrett	

D316,511 S	*	4/1991	White, Jr.		D8/349
5,028,019 A		7/1991	Hardtke		
5,028,149 A		7/1991	Hardtke		
5,102,073 A		4/1992	Lestenkof, Jr.		
5,217,191 A		6/1993	Smith		
5,685,508 A		11/1997	Smith		
5,779,198 A		7/1998	Rutherford et al.		
5,816,554 A	*	10/1998	McCracken		248/346.01
5,829,718 A		11/1998	Smith		
5,871,306 A		2/1999	Tilcox		
5,906,341 A		5/1999	Brown		
D427,049 S		6/2000	Neider et al.		
D433,615 S	*	11/2000	Neider et al.		D8/354
D436,522 S		1/2001	Neider et al.		

* cited by examiner

Primary Examiner—Doris V. Coles

Assistant Examiner—Elizabeth A. Albert

(74) *Attorney, Agent, or Firm*—Kenneth E. Horton; Rader, Fishman & Grauer

(57) **CLAIM**

The ornamental design for a base for a pipe supporting device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a base for a pipe supporting device showing our new design;


FIG. 2 is a front view;

FIG. 3 is a top view;

FIG. 4 is a side view; and,

FIG. 5 is a bottom view.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5