



US00D466602S

(12) **United States Design Patent**
Gieseke et al.

(10) **Patent No.:** **US D466,602 S**

(45) **Date of Patent:** **** Dec. 3, 2002**

(54) **FILTER ELEMENT HAVING SEALING SYSTEM**

(75) Inventors: **Steven Scott Gieseke**, Richfield, MN (US); **Carolyn J. Finnerty**, Bloomington, MN (US)

(73) Assignee: **Donaldson Company, Inc.**, Minneapolis, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/154,798**

(22) Filed: **Jan. 29, 2002**

Related U.S. Application Data

(60) Division of application No. 29/119,567, filed on Mar. 2, 2000, now Pat. No. Des. 461,003, which is a continuation-in-part of application No. 29/101,193, filed on Feb. 26, 1999, now Pat. No. Des. 450,827.

(51) **LOC (7) Cl.** **23-04**

(52) **U.S. Cl.** **D23/365**

(58) **Field of Search** **D23/365; 55/502**

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,025,963 A	3/1962	Bauer
3,209,917 A	10/1965	Yelinek
3,676,242 A	7/1972	Prentice

(List continued on next page.)

OTHER PUBLICATIONS

Declaration of Steven S. Gieseke with Exhibits A, B, and C (5 pages).

Primary Examiner—Lisa Lichtenstein
(74) *Attorney, Agent, or Firm*—Merchant & Gould P.C.

(57) **CLAIM**

The ornamental design for a filter element having sealing system, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a filter element having sealing system; the fluted filter media shown in a portion of the upper face being representative of the appearance of the fluted filter media in the entire upper face; the portions shown in broken lines being for illustrative purposes only and forming no part of the design sought to be patented;

FIG. 2 is a top plan view of the embodiment depicted in FIG. 1, the portions shown in broken lines being for illustrative purposes only and forming no part of the design sought to be patented;

FIG. 3 is a front elevational view of the embodiment depicted in FIG. 1;

FIG. 4 is a rear elevational view of the embodiment depicted in FIG. 1;

FIG. 5 is a right elevational view of the embodiment depicted in FIG. 1;

FIG. 6 is a left elevational view of the embodiment depicted in FIG. 1;

FIG. 7 is a bottom plan view of the embodiment depicted in FIG. 1;


FIG. 8 is a front elevational view of a second embodiment of a filter element having sealing system, the media being lined to indicate blue color; the top plan view having an appearance depicted in FIG. 2, and the bottom plan view having the appearance depicted in FIG. 7;

FIG. 9 is a rear elevational view of the embodiment depicted in FIG. 8, the filter media being lined to indicate blue color;

FIG. 10 is a right elevational view of the embodiment depicted in FIG. 8, the filter media being lined to indicate blue color; and,

FIG. 11 is a left elevational view of the embodiment depicted in FIG. 8, the filter media being lined to indicate a blue color.

1 Claim, 11 Drawing Sheets



US D466,602 S

Page 2

U.S. PATENT DOCUMENTS

3,807,150 A	4/1974	Maracle	5,415,677 A	5/1995	Ager et al.
3,841,953 A	10/1974	Lohkamp et al.	5,435,870 A	7/1995	Takagaki et al.
3,849,241 A	11/1974	Butin et al.	5,487,767 A	1/1996	Brown
3,878,014 A	4/1975	Melead	5,543,007 A	8/1996	Takagaki et al.
4,065,341 A	12/1977	Cub	5,547,480 A	8/1996	Coulonvaux
4,322,231 A	3/1982	Hilzendeger et al.	5,613,992 A	3/1997	Engel
4,402,830 A	9/1983	Pall	5,714,126 A	2/1998	Frund
4,449,993 A	5/1984	Bergeron	5,730,766 A	3/1998	Clements
5,304,312 A	4/1994	Forster et al.	5,820,646 A	10/1998	Gillingham et al.
5,350,515 A	9/1994	Stark et al.	5,897,676 A	4/1999	Engel
			D450,827 S	11/2001	Gieseke et al.

FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 5




FIG. 6

FIG. 7




FIG. 8





FIG. 9






FIG. 10




FIG. 11