



US00D466657S

(12) **United States Design Patent**  
**Van Hauwermeiren et al.**

(10) **Patent No.: US D466,657 S**

(45) **Date of Patent: \*\* Dec. 3, 2002**

(54) **CLOTH REFRESHING APPLIANCE**

(75) Inventors: **Tim Maria Jose Van Hauwermeiren**,  
Buggenhout (BE); **Carol Smith**,  
Brussels (BE); **Merih Pasin**, Brussels  
(BE); **David Moore**, Elmesthorpe (GB);  
**Carl John Woolley**, Melton Mowbray  
(GB); **Christopher Gordon Hamilton**,  
Melton Mowbray (GB); **David Gordon**,  
Chester Green (GB); **William John  
Davis**, Clarendon Park (GB); **David  
John Wilford**, Leicester (GB)

(73) Assignee: **Whirlpool Corporation**, Benton  
Harbor, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/146,576**

(22) Filed: **Aug. 10, 2001**

(30) **Foreign Application Priority Data**

Feb. 14, 2001 (GB) ..... 2099498

(51) **LOC (7) Cl.** ..... **15-05**

(52) **U.S. Cl.** ..... **D32/10**

(58) **Field of Search** ..... D32/1, 5, 6, 8,  
D32/10; 34/77, 621, 279, 91, 60, 542; 38/14

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D117,957 S \* 12/1939 Novotny ..... D32/10  
2,206,148 A \* 7/1940 Ayler ..... D32/10  
D196,065 S \* 8/1963 Lee ..... D32/10  
D213,139 S \* 1/1969 Brendgord ..... D32/10  
3,576,079 A \* 4/1971 Hauser ..... 34/542

4,471,537 A \* 9/1984 Meda ..... 34/77  
4,493,160 A \* 1/1985 Brembilla et al. .... 38/14  
4,625,432 A \* 12/1986 Baltes ..... 34/621  
5,152,077 A \* 10/1992 Liang ..... 34/77  
5,815,961 A \* 10/1998 Estes et al. .... 38/14

\* cited by examiner

*Primary Examiner*—Nelson C Holtje

(74) *Attorney, Agent, or Firm*—Robert O. Rice; Thomas J.  
Roth; Stephen Krefman


(57) **CLAIM**

The ornamental design for a cloth refreshing appliance, as  
shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a cloth refreshing appliance in a  
closed condition, embodying our new design;  
FIG. 2 is a rear view of the appliance in a closed condition;  
FIG. 3 is a perspective view of the appliance in a closed  
condition;  
FIG. 4 is a side elevational view thereof from the left side  
of the appliance as shown in FIG. 1;  
FIG. 5 is a side elevational view thereof from the right side;  
FIG. 6 is a top view thereof;  
FIG. 7 is a front perspective view of the appliance in an open  
condition;  
FIG. 8 is a front view of the appliance in an open condition;  
FIG. 9 is a rear view of the appliance in an open condition;  
FIG. 10 is a left side elevational view of the appliance in an  
open condition;  
FIG. 11 is a right side elevational view of the appliance in  
an open condition; and,  
FIG. 12 is a top view of the appliance in an open condition.

**1 Claim, 7 Drawing Sheets**








Fig.1.




Fig.2.




Fig.3.






Fig.4.




Fig.5.




Fig.6.






Fig.7.






Fig.8.






Fig.9.






Fig. 10.




Fig. 11.






Fig. 12.