



US00D466685S

(12) **United States Design Patent**
Gref

(10) **Patent No.:** **US D466,685 S**

(45) **Date of Patent:** **** Dec. 10, 2002**

(54) **METAL CASING AND UMBRELLA**

(75) Inventor: **Hans-Jorg Gref**, Regensburg (DE)

(73) Assignee: **Josef Gref GmbH & Co.** (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/144,409**

(22) Filed: **Jul. 3, 2001**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/112,214, filed on Oct. 14, 1999, now abandoned.

(51) **LOC (7) Cl.** **03-01**

(52) **U.S. Cl.** **D3/11**

(58) **Field of Search** D3/5-17, 265;
224/904, 913, 915

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,605,772 A	9/1971	Bremshey	D3/11 X
4,558,807 A	12/1985	Jackson	224/251
D340,801 S	11/1993	Howard	D3/11
D369,238 S	* 4/1996	Cain	D3/11
D391,755 S	* 3/1998	Grimm et al.	D3/11
D393,742 S	4/1998	El-Edwy	D3/11
D396,747 S	8/1998	Cheung	D3/165
D400,009 S	10/1998	Conway	D3/265
D406,696 S	3/1999	Conway	D3/265
D425,299 S	5/2000	Charbonneau	D3/265
D437,680 S	* 2/2001	Gobel	D3/11
D454,686 S	* 3/2002	McCormack	D3/265
D455,261 S	* 4/2002	Browne	D3/265

OTHER PUBLICATIONS

Sundance Catalog, Jun. 1997, p. 23, Item No. L (Aluminum Eyeglass Holder).

* cited by examiner

Primary Examiner—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—Hoffman, Wasson & Gitler PC

(57) **CLAIM**

The ornamental design for a metal casing and umbrella, as shown, and described.

DESCRIPTION

FIG. 1 is a front elevation view of the metal casing and umbrella showing my new design, with the closure in an open position;

FIG. 2 is a rear elevation view thereof;

FIG. 3 is a front elevation view with the closure in a closed position;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a side elevation view with the closure in an open position;

FIG. 6 is an opposite side elevation view thereof;

FIG. 7 is side elevation view with the closure in a closed position;

FIG. 8 is an opposite side elevation view with the closure in a closed position;

FIG. 9 is a top plan view with the closure in closed position;


FIG. 10 is a bottom plan view with the closure in a closed position.

FIG. 11 is a side view according to FIG. 1 together with the umbrella received in the casing;

FIG. 12 is an exploded view of the metal casing and umbrella; and,

FIG. 13 is a top view of the umbrella.

1 Claim, 12 Drawing Sheets






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13