



US00D466825S

(12) **United States Design Patent** (10) **Patent No.:** **US D466,825 S**  
**Ettridge et al.** (45) **Date of Patent:** **\*\* Dec. 10, 2002**

(54) **CAUTION DEVICE**

(75) Inventors: **Susan Ettridge**, Burlington (CA); **John L. Hradisky**, Aurora, OH (US)

(73) Assignee: **The Step2 Company**, Streetsboro, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/137,070**

(22) Filed: **Feb. 12, 2001**

(51) **LOC (7) Cl.** ..... **10-05**

(52) **U.S. Cl.** ..... **D10/109**

(58) **Field of Search** ..... D10/109; 40/414, 40/608, 612; 223/66, 120; 367/93; 116/63 R, 63 P, DIG. 8

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,002,248 A *	5/1935	Muehleisen	.....	40/612
2,145,322 A *	1/1939	Snider	.....	40/612
D276,797 S *	12/1984	Narena et al.	.....	D10/109
D305,213 S *	12/1989	Hughes	.....	D10/109
D429,472 S *	8/2000	Austin	.....	D10/109

\* cited by examiner

*Primary Examiner*—Antoine Duval Davis  
(74) *Attorney, Agent, or Firm*—Emerson & Skeriotis; Roger D. Emerson; Heather M. Barnes

(57) **CLAIM**

The ornamental design for a caution device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the present invention during daylight hours;


FIG. 2 is a front elevational view of the present invention during twilight hours;

FIG. 3 is a perspective view of a second embodiment of the anchoring means of the present invention; and,

FIG. 4 is a front elevational view of the present invention showing a third embodiment of the anchoring means being a base such that the present invention has stand-alone capabilities.

The broken line showing of \*\*\* is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG--4