



US00D466911S

(12) **United States Design Patent**
Young

(10) **Patent No.:** **US D466,911 S**

(45) **Date of Patent:** **** Dec. 10, 2002**

(54) **THREAD HOLDING APPARATUS**

(76) Inventor: **Betty Young**, 726 Smithtown Rd.,
Wiggins, MS (US) 39577

(**) Term: **14 Years**

(21) Appl. No.: **29/148,784**

(22) Filed: **Sep. 27, 2001**

(51) **LOC (7) Cl.** **15-06**

(52) **U.S. Cl.** **D15/78**

(58) **Field of Search** D15/66-69, 78;
53/397, 255, 435, 459, 473-475; D3/25;
D6/462; 242/129, 131, 139; 112/253, 293

(56) **References Cited**

U.S. PATENT DOCUMENTS

RE16,283 E	*	3/1926	Mitchell	53/435
3,962,815 A		6/1976	Christensen	
D244,408 S	*	5/1977	Jennings	D3/25
4,050,648 A		9/1977	Tisma	
4,305,512 A		12/1981	Mackenzie	
4,367,852 A	*	1/1983	Lazaro, Jr.	242/129
4,530,178 A		7/1985	Rauscher	
4,550,672 A	*	11/1985	Kastrup	112/293
5,000,344 A		3/1991	Janssen	

5,009,054 A * 4/1991 Jons 53/435

D328,213 S 7/1992 Mancuso

5,913,485 A * 6/1999 Bruffett 242/139

* cited by examiner

Primary Examiner—Mitchell Siegel

(57) **CLAIM**

The ornamental design for a thread holding apparatus, as shown.

DESCRIPTION

FIG. 1 is a front plan view of the thread holding apparatus of the present invention;

FIG. 2 is a back plan view of the thread holding apparatus of FIG. 1;

FIG. 3 is a left side plan view of the thread holding apparatus of FIG. 1;

FIG. 4 is a right side plan view of the thread holding apparatus of FIG. 1;

FIG. 5 is a top plan view of the thread holding apparatus of FIG. 1; and,

FIG. 6 is a bottom plan view of the thread holding apparatus of FIG. 1.

1 Claim, 3 Drawing Sheets




FIG. 1





FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6