US00D467117S

(12) United States Design Patent

Guy

(10) Patent No.: US D467,117 S
(45) Date of Patent: ** Dec. 17, 2002

(54) **INFANT CHANGING PAD**

(76) Inventor: **Bruce V. Guy**, 1024 Scofield Dr., Cordova, TN (US) 38018

(**) Term: **14 Years**

(21) Appl. No.: **29/143,666**

(22) Filed: **Jun. 19, 2001**

(51) **LOC (7) Cl.** **06-09**
(52) **U.S. Cl.** **D6/596**
(58) **Field of Search** D6/595, 596, 597, D6/599, 601, 602, 603, 604, 605, 606, 608, 333; D2/720, 728, 823, 860, 861; D8/403; D24/184, 189, 192; 2/114, 914, 915; 5/417, 418, 419, 420, 485, 486, 495, 499, 630, 631, 632, 633, 636, 637, 638, 639, 640, 641, 644, 645, 646, 648, 650, 651, 652, 98.1, 652.1, 653, 654, 655, 99.1, 655.3, 655.4, 655.9, 656, 657, 657.5, 663, 688, 690, 706, 710, 717, 718, 727, 731, 733, 736, 737, 739; 15/208, 209.1, 210.1; 128/849, 853, 854

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,315,126	A		3/1943	Michalke	190/43
2,429,350	A	*	10/1947	Farrand	5/98.1
2,502,486	A		4/1950	Savrin	224/6
2,626,407	A		1/1953	Kurry	5/99
2,908,020	A		10/1959	Barton	5/99
3,049,728	A	*	8/1962	Lund	5/99.1
3,466,677	A	*	9/1969	Glaser et al.	5/98.1
3,833,947	A	*	9/1974	Sorensen	D6/604
3,844,471	A		10/1974	Hind	229/30
4,670,923	A	*	6/1987	Gabriel et al.	5/655
4,698,862	A	*	10/1987	Mairs	D6/333
4,827,542	A	*	5/1989	Kurtenbach	5/99.1
4,873,734	A	*	10/1989	Pollard	5/485
D311,473	S	*	10/1990	Vrabel	5/417
4,999,863	A		3/1991	Kane	5/98
D317,994	S	*	7/1991	Collins	5/655
5,115,524	A	*	5/1992	Antosko	5/99.1
5,210,891	A		5/1993	Avital et al.	5/420
D345,278	S	*	3/1994	Hamilton et al.	D6/601
D347,120	S	*	5/1994	Artz	D6/604
5,351,348	A	*	10/1994	Beger	5/420
5,473,785	A	*	12/1995	Lager et al.	5/655
D366,368	S		1/1996	McCarthy	D6/333
5,561,876	A	*	10/1996	Petruzella	5/655
6,026,525	A	*	2/2000	Davis	5/655
6,199,230	B1	*	3/2001	Parikh	5/655
6,205,600	B1	*	3/2001	Sedlack	5/655

* cited by examiner

Primary Examiner—Doris V. Coles
Assistant Examiner—T. Chase Nelson
(74) *Attorney, Agent, or Firm*—Walker, McKenzie & Walker, PC

(57) **CLAIM**

The ornamental design for an infant changing pad, as shown and described.

DESCRIPTION

A pad for supporting an infant while that infant's clothes are changed, etc., the pad being movable between a flat, unfolded position and a folded, in-use position with upturned peripheral borders or walls.

FIG. **1** is a perspective view of an infant changing pad, showing the new design in an unfolded position.

FIG. **2** is a perspective view of the infant changing pad, showing the new design in a folded, in-use position.

FIG. **3** is a top plan view of the infant changing pad, showing the new design in the unfolded position.

FIG. **4** is a side elevational view of FIG. **3**, the opposite side being a mirror image thereof.

FIG. **5** is an end elevational view of FIG. **3**, the opposite end being a mirror image thereof.

FIG. **6** is a top plan view of the infant changing pad, showing the new design in the folded, in-use position.

FIG. **7** is a side elevational view of FIG. **6**, the opposite side being a mirror image thereof

FIG. **8** is an end elevational view of FIG. **6**, the opposite end being a mirror image thereof; and,

FIG. **9** is a bottom plan view of FIG. **6**.

1 Claim, 3 Drawing Sheets



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7

FIG. 8

FIG. 9