



US00D467184S

(12) **United States Design Patent**  
**Kwok**

(10) **Patent No.:** **US D467,184 S**

(45) **Date of Patent:** **\*\* Dec. 17, 2002**

(54) **CLOCK**

(75) **Inventor:** **Joseph Tak Ming Kwok, Tai Po (HK)**

(73) **Assignee:** **Moneray International, Ltd., Kowloon (HK)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/141,971**

(22) **Filed:** **May 15, 2001**

(51) **LOC (7) Cl.** ..... **10-01**

(52) **U.S. Cl.** ..... **D10/15**

(58) **Field of Search** ..... D10/1-40, 122-132;  
368/41-44, 82-84, 28-30, 239-242, 276-277,  
280-282, 285

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D175,305 S \* 8/1955 Hall ..... D10/26 X  
D197,617 S \* 3/1964 Shanuk ..... D10/1

D348,842 S \* 7/1994 Olivadoti ..... D10/15  
D412,909 S \* 8/1999 Wang ..... D14/240

\* cited by examiner

*Primary Examiner*—Nelson C. Holtje

(74) *Attorney, Agent, or Firm*—Dorsey & Whitney LLP


(57) **CLAIM**

The ornamental design for clock, as shown and described.

**DESCRIPTION**

FIG. 1A is a front elevation view of the clock;  
FIG. 2 is a rear elevation view of the clock;  
FIG. 3 is a side view of the clock;  
FIG. 4 is a bottom view of the clock;  
FIG. 5 is a top and right front perspective view of the clock;  
and,  
FIG. 6 is a bottom view of the clock.  
The numerals of the clock display are provided by an electro-luminescent display on a glass substrate.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6