



US00D467250S

(12) **United States Design Patent**  
**Takeuchi**

(10) **Patent No.:** **US D467,250 S**

(45) **Date of Patent:** **\*\* Dec. 17, 2002**

(54) **FACSIMILE TRANSMITTER-RECEIVER**

(75) Inventor: **Motoaki Takeuchi**, Tokyo (JP)

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/154,670**

(22) Filed: **Jan. 29, 2002**

(30) **Foreign Application Priority Data**

Aug. 2, 2001 (JP) ..... 2001-022684

(51) **LOC (7) Cl.** ..... **16-03**

(52) **U.S. Cl.** ..... **D14/469**

(58) **Field of Search** ..... D14/462, 469-471;  
358/400, 401; D18/50, 36, 37

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 5,166,812 A \* 11/1992 Dow et al. .... 358/400 X
- D331,401 S 12/1992 Takeuchi ..... D14/118
- 5,337,165 A \* 8/1994 Rioussset et al. .... 358/401 X
- D377,370 S \* 1/1997 Escobedo et al. .... D14/469

- 5,986,776 A \* 11/1999 Park ..... 358/400
- D420,998 S \* 2/2000 Leong et al. .... D14/469
- D434,776 S 12/2000 Takeuchi ..... D14/469
- D442,989 S \* 5/2001 Leong et al. .... D14/469
- D452,510 S 12/2001 Irvine et al. .... D14/467

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto


(57) **CLAIM**

The ornamental design for a facsimile transmitter-receiver, as shown and described.


**DESCRIPTION**

FIG. 1 is a front view of a facsimile transmitter-receiver showing my new design;  
 FIG. 2 is a rear view thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a bottom plan view thereof;  
 FIG. 5 is a left side view thereof;  
 FIG. 6 is a right side view thereof; and,  
 FIG. 7 is a perspective view thereof.


**1 Claim, 7 Drawing Sheets**




*FIG. 1*



*FIG. 2*



*FIG. 3*



*FIG. 4*




FIG. 5





FIG. 6






FIG. 7