

(12) United States Design Patent (10) Patent No.: US D467,434 S Choi et al. (45) Date of Patent: ** Dec. 24, 2002

(54) HEAD FOR GROOMING BRUSH

- (75) Inventors: Yoon Ho Choi, Seoul (KR); Jonathan Willinger, Tenafly, NJ (US)
- (73) Assignee: JW Pet Company, Inc., Hasbrouck Heights, NJ (US)
- (**) Term: 14 Years

D367,176 S * 2/1996 Berti D4/138 6,279,582 B1 * 8/2001 Wang

OTHER PUBLICATIONS

New England Serum Company, © 1999, Gripsoft[™] Slicker Brushes —Item No. JW65001 and JW65002, p. 41.*

* cited by examiner

Primary Examiner—Alan P. Douglas
Assistant Examiner—Lavone Tabor
(74) Attorney, Agent, or Firm—Katten Muchin Zavis
Rosenman

- (21) Appl. No.: **29/145,806**
- (22) Filed: Jul. 30, 2001

Related U.S. Application Data

- (63) Continuation-in-part of application No. 09/829,261, filed on Apr. 9, 2001, which is a continuation of application No. 09/218,252, filed on Dec. 21, 1998, now Pat. No. 6,213,055.
- (52) U.S. Cl. D4/127; D4/138
- (58) Field of Search D4/127, 130, 132, D4/133, 136, 138; 15/159.1, 160, 186–188; 132/120, 313; 119/600, 612, 615, 664; D30/158

(56) **References Cited**

U.S. PATENT DOCUMENTS

D183,543 S * 9/1958 Scholl D4/127 5,443,321 A * 8/1995 Dolan et al. D366,762 S * 2/1996 Ward D4/136

(57) CLAIM

The ornamental design for a head for grooming brush, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a head for grooming brush showing my new design;
FIG. 2 is a side elevation view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a front elevation view thereof; and,
FIG. 6 is a rear elevation view thereof.
The broken lines showing a handle, bristle plate, bristles and head support section are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



U.S. Patent Dec. 24, 2002 Sheet 1 of 6 US D467,434 S





U.S. Patent Dec. 24, 2002 Sheet 2 of 6 US D467,434 S



U.S. Patent Dec. 24, 2002 Sheet 3 of 6 US D467,434 S





U.S. Patent Dec. 24, 2002 Sheet 4 of 6 US D467,434 S





U.S. Patent US D467,434 S Dec. 24, 2002 Sheet 5 of 6





U.S. Patent Dec. 24, 2002 Sheet 6 of 6 US D467,434 S



