



US00D467481S

(12) **United States Design Patent** (10) **Patent No.:** **US D467,481 S**
Watson (45) **Date of Patent:** **** Dec. 24, 2002**

(54) **MULTI-PURPOSE DRILL/DRIVER**

(75) Inventor: **James B. Watson**, Fallston, MD (US)

(73) Assignee: **Black & Decker Inc.**, Newark, DE (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/146,836**

(22) Filed: **Aug. 16, 2001**

(51) **LOC (7) Cl.** **08-04**

(52) **U.S. Cl.** **D8/68**

(58) **Field of Search** D8/61, 62, 63, D8/64, 65, 66, 67, 68, 69, 70, 107; 29/243.525; 74/371; 81/52, 54, 55, 57, 57.11, 57.13, 57.14, 57.42, 57.43, 177.1, 177.4, 177.6, 177.85, 409, 429, 436, 463, 464, 466, 474, 900, 901, DIG. 12; 173/13, 15, 47, 48, 90, 91, 92, 93, 93.5, 93.6, 109, 112, 122, 164, 169, 170, 171, 176, 213, 216, 217; 227/51, 81, 138; 279/9.1, 19.3, 62, 137, 142, 147, 149, 158; 310/50; 320/114; 408/20, 120, 122, 124, 125, 234, 241 R, 241 S; 451/344, 354, 357, 358, 359, 456

(56) **References Cited**

U.S. PATENT DOCUMENTS

D300,502 S 4/1989 Schultz

(List continued on next page.)

OTHER PUBLICATIONS

Black & Decker Firestorm High Performance Cordless Tools; Form No. LCPC99;1999; cover page, pp. 5-8 and 17-22.

(List continued on next page.)

Primary Examiner—Doris V. Coles

Assistant Examiner—T. Chase Nelson

(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**

The ornamental design for a multi-purpose drill/driver, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the multi-purpose drill/driver in accordance with a first embodiment of the present invention;

FIG. 2 is a rear perspective view of the first embodiment of the present invention;

FIG. 3 is a right side elevational view of the first embodiment of the present invention;

FIG. 4 is a left side elevational view of the first embodiment of the present invention;

FIG. 5 is a front elevational view of the first embodiment of the present invention;

FIG. 6 is a rear elevational view of the first embodiment of the present invention;

FIG. 7 is a top plan view of the first embodiment of the present invention;

FIG. 8 is a bottom plan view of the first embodiment of the present invention;

FIG. 9 is a front perspective view of the multi-purpose drill/driver in accordance with a second embodiment of the present invention;

FIG. 10 is a rear perspective view of the second preferred embodiment of the present invention;

FIG. 11 is a right side elevational view of the second preferred embodiment of the present invention;

FIG. 12 is a left side elevational view of the second preferred embodiment of the present invention;

FIG. 13 is a front elevational view of the second preferred embodiment of the present invention;

FIG. 14 is a rear elevational view of the second preferred embodiment of the present invention;

FIG. 15 is a top plan view of the second preferred embodiment of the present invention;

FIG. 16 is a bottom plan view of the second preferred embodiment of the present invention;

FIG. 17 is a front perspective view of the multi-purpose drill/driver in accordance with a third preferred embodiment of the present invention;

FIG. 18 is a rear perspective view of the third preferred embodiment of the present invention;

FIG. 19 is a right side elevational view of the third preferred embodiment of the present invention;

FIG. 20 is a left side elevational view of the third preferred embodiment of the present invention;

FIG. 21 is a front elevational view of the third preferred embodiment of the present invention;


FIG. 22 is a rear elevational view of the third preferred embodiment of the present invention;

FIG. 23 is a top plan view of the third preferred embodiment of the present invention; and,

FIG. 24 is a bottom plan view of the third preferred embodiment of the present invention.

The use of broken lines in the figures described above are for illustrative purposes only and form no part of the claimed design.

1 Claim, 24 Drawing Sheets



U.S. PATENT DOCUMENTS							
D300,503	S	4/1989	Schultz	D406,511	S	* 3/1999	Zurwelle D8/68
D300,717	S	4/1989	Hasegawa et al.	D406,740	S	* 3/1999	Zurwelle D8/68
D303,347	S	9/1989	Somers	D412,485	S	8/1999	Kato et al.
D313,391	S	1/1991	Pudwill	D417,648	S	12/1999	Clowers et al.
D314,498	S	2/1991	Hoshino et al.	D419,413	S	1/2000	Heun
D314,698	S	2/1991	Zurwelle	D420,877	S	2/2000	Schultz
D315,282	S	3/1991	Schmidt et al.	D420,879	S	2/2000	Watson et al.
4,998,589	A	3/1991	Wiesendanger	D421,883	S	3/2000	Watson et al.
D316,021	S	4/1991	Bunyea	D428,320	S	7/2000	Ohi et al.
5,025,903	A	* 6/1991	Elligson 173/13	D432,077	S	10/2000	Zurwelle et al.
5,083,620	A	1/1992	Fushiya et al.	D435,013	S	12/2000	Clowers et al.
5,089,738	A	* 2/1992	Bergqvist 310/50	D435,414	S	12/2000	Etter et al.
D332,208	S	1/1993	Sakamoto et al.	D436,511	S	1/2001	Hayakawa et al.
D339,727	S	9/1993	Kikuchi	D437,759	S	2/2001	Breit et al.
D340,393	S	* 10/1993	Okumura D8/68	D440,850	S	4/2001	Ozawa et al.
D340,394	S	10/1993	Okumura	OTHER PUBLICATIONS			
5,375,665	A	* 12/1994	Fanchang et al. 173/48	DeWalt High Performance Industrial Tools & Accessories			
D359,215	S	6/1995	Zurwelle	Guaranteed Tough; Form No. LDWMC00 (Rev. 9/00);			
D362,167	S	9/1995	Zurwelle	2000; cover page, pp. 12–13, 17–18, 21–22, 25–26, 29–31,			
5,451,127	A	* 9/1995	Chung 173/47	37–39 and 42.			
D368,009	S	3/1996	Zurwelle	DeWalt High Performance Industrial Tools & Accessories			
D368,214	S	3/1996	Zurwelle	1996 Power Tools & Accessories Catalog; Form No.			
D377,442	S	1/1997	Kikuchi	LDWC96; 1996; cover page and pp. 9–34.			
D378,268	S	3/1997	Schultz	DeWalt High Performance Industrial Tools & Accessories			
5,624,000	A	* 4/1997	Miller 173/217	1995 Power Tools & Accessories Catalog; Form No.			
D382,457	S	8/1997	Ghode et al.	LDWC95; 1995; cover page and pp. 10, 25 and 41.			
D384,639	S	10/1997	Kawakami et al.	DeWalt High Performance Industrial Tools & Accessores;			
D386,662	S	11/1997	Tozawa et al.	Form No. 12847; 1992 DeWalt Industrial Tool Co.; 1992;			
D387,728	S	12/1997	Kawakami et al.	cover page and pp. 6–8, 11–12 and 15–16.			
D392,530	S	3/1998	Lui	* cited by examiner			
D402,871	S	12/1998	Clowers et al.				
D402,872	S	12/1998	Clowers et al.				
D404,275	S	* 1/1999	Bunyea et al. D8/68				




Figure - 1




Figure - 2




Figure - 3




Figure - 4




Figure - 5




Figure - 6




Figure - 7




Figure - 8




Figure - 9




Figure - 10




Figure - 11




Figure - 12




Figure - 13




Figure - 14




Figure - 15




Figure - 16




Figure - 17




Figure - 18




Figure - 19




Figure - 20




Figure - 21




Figure - 22




Figure - 23




Figure - 24