



US00D467561S

(12) **United States Design Patent**
Kosciolek

(10) **Patent No.:** **US D467,561 S**

(45) **Date of Patent:** **** Dec. 24, 2002**

(54) **STAND FOR VIDEO SCREEN**

(75) Inventor: **Christophe Kosciolek**, Lausanne (CH)

(73) Assignee: **Bobst S.A.** (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/132,495**

(22) Filed: **Nov. 8, 2000**

(30) **Foreign Application Priority Data**

May 8, 2000 (CH) 127007

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/125; D14/129; D14/133**

(58) **Field of Search** **D14/125-134,**
D14/374, 129; D6/432; D21/814; 312/7.2

(56) **References Cited**

U.S. PATENT DOCUMENTS

D289,757 S	*	5/1987	House	D14/127
D289,870 S	*	5/1987	Berchtold	D14/133
4,861,121 A	*	8/1989	Gotz	312/7.2
D328,742 S	*	8/1992	Kennedy	D14/133
D342,515 S	*	12/1993	Gilmore	D6/432
D364,157 S	*	11/1995	Sharp	D14/133
D389,216 S	*	1/1998	Isetani	D21/814
D417,440 S	*	12/1999	Wilson	D14/374
D440,544 S	*	4/2001	Fischer	D14/129

* cited by examiner

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Ostrolenk, Faber, Gerb & Soffen, LLP

(57) **CLAIM**


The ornamental design for a stand for video screen, as shown and described.

DESCRIPTION

FIG. 1 is a front top right side perspective view of a stand for a video screen, showing my new design

FIG. 2 is a rear, top, left side perspective view thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 is a side view thereof, the opposite side being a mirror image;
 FIG. 5 is top view thereof;
 FIG. 6 is a bottom view thereof;
 FIG. 7 is a front top right side perspective view of a modified embodiment of the design shown in FIGS. 1-6, the top and bottom views being the same as in the first embodiment;
 FIG. 8 is a side view thereof, the opposite side being a mirror image;
 FIG. 9 is a front view thereof;
 FIG. 10 is a rear, top, left side perspective view thereof;
 FIG. 11 is a front top right side perspective view of a second modified embodiment of the design shown in FIGS. 1-6, the top and bottom views being the same as in the first embodiment;
 FIG. 12 is a side view thereof, the opposite side being a mirror image;
 FIG. 13 is a front view thereof;
 FIG. 14 is a rear, top, left side perspective view thereof;
 FIG. 15 is a front top right side perspective view of a third modified embodiment of the design shown in FIGS. 1-6, the top and bottom views being the same as in the first embodiment;
 FIG. 16 is a side view thereof, the opposite side being a mirror image;
 FIG. 17 is a front view thereof;
 FIG. 18 is a rear, top, left side perspective view thereof;
 FIG. 19 is a front top right side perspective view of a fourth modified embodiment of the design shown in FIGS. 1-6, the top and bottom views being the same as in the first embodiment;
 FIG. 20 is a side view thereof, the opposite side being a mirror image;
 FIG. 21 is a front view thereof;
 FIG. 22 is a rear, top, left side perspective view thereof;
 FIG. 23 is a front top right side perspective view of a modified embodiment of the design shown in FIGS. 1-6, the top and bottom views being the same as in the first embodiment;
 FIG. 24 is a side view thereof, the opposite side being a mirror image;
 FIG. 25 is a front view thereof; and,
 FIG. 26 is a rear, top, left side perspective view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

FIG. 10




FIG. 11

FIG. 14




FIG. 15

FIG. 18




FIG. 23

FIG. 26




FIG. 19

FIG. 22




FIG. 8




FIG. 9




FIG. 12




FIG. 13




FIG. 16




FIG. 17




FIG. 20




FIG. 21




FIG. 24




FIG. 25