



US00D467772S

(12) **United States Design Patent**
Williams

(10) **Patent No.:** **US D467,772 S**

(45) **Date of Patent:** **** Dec. 31, 2002**

(54) **COOLER WITH REMOVABLE LINER**

(76) Inventor: **James Larry Williams**, 2555 Eldridge Rd., #5, Sugarland, TX (US) 77478

(**) Term: **14 Years**

(21) Appl. No.: **29/155,937**

(22) Filed: **Feb. 20, 2002**

(51) **LOC (7) Cl.** **07-01**

(52) **U.S. Cl.** **D7/607**

(58) **Field of Search** D7/605, 607, 608, D7/709; D3/201, 203, 205, 226, 232, 273, 276, 289, 301; 62/457.1, 457.7, 371, 372; 220/915.1, 915.2, 592.03, 592.2, 592.25; 383/97, 99, 109, 110, 113

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,805,776 A * 2/1989 Namgyal et al. 383/110 X
D387,626 S * 12/1997 Melk D7/605
D432,870 S * 10/2000 Worley et al. D7/607

* cited by examiner

Primary Examiner—Terry A. Wallace

(74) *Attorney, Agent, or Firm*—Browning Bushman, P.C.

(57) **CLAIM**

The ornamental design for a cooler with removable liner, as shown and described.

DESCRIPTION

FIG. 1 is a left side, top, front side pictorial view of cooler according to the present invention in the closed position; FIG. 2 is a right side, top, rear pictorial view of the cooler as shown in FIG. 1. The zipper may be provided at various locations at the top of the cooler, and is thus illustrated in dashed lines since the location of the zipper is not a feature of the invention.


FIG. 3 is a bottom view of the cooler as shown in FIGS. 1 and 2. The straps on the bottom of the cooler are shown in dashed lines since these bottom straps are optional and are not a feature of the invention.

FIG. 4 illustrates the left side, top front pictorial view of the cooler in the open position for receiving the replaceable liner. Again, the location of the zipper is not a feature of the invention and thus the zipper is shown in dashed lines.

FIG. 5 is a right side, top, rear view of the replaceable liner as shown in FIG. 4. The replaceable liner has a hook and loop fastener along its upper edge for engagement with a similar fastener on the inside of the cooler. The liner may be symmetrical about a centerline extending from the left side to the right side, and also symmetrical about a perpendicular centerline extending from the front to the back; and,

FIG. 6 is a bottom view of the liner as shown in FIGS. 4 and 5.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.6




FIG.5