



US00D467840S

(12) **United States Design Patent** (10) **Patent No.:** **US D467,840 S**
Bruns et al. (45) **Date of Patent:** **** Dec. 31, 2002**

(54) **COMBINED SNOWMOBILE SKI AND LOST MOTION HANDLE**

(76) Inventors: **Mark W. Bruns**, 120 Eastgate Dr. SE.,
Hutchinson, MN (US) 55350; **Steven A. Bruns**, 120 Eastgate Dr. SE.,
Hutchinson, MN (US) 55350

(**) Term: **14 Years**

(21) Appl. No.: **29/156,098**

(22) Filed: **Feb. 25, 2002**

(51) **LOC (7) Cl.** **12-14**

(52) **U.S. Cl.** **D12/7; D12/10**

(58) **Field of Search** **D12/6-7, 9-11;**
D21/760, 766-767, 769; 180/182, 186,
184, 190; 280/25-28, 16, 21.1, 22, 602,
809, 845

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,623,564	A	*	11/1971	Higginbotham		280/25
3,765,695	A	*	10/1973	McGregor		280/28
3,854,541	A	*	12/1974	Hollnagel		280/26
3,867,991	A	*	2/1975	Brandli		280/21.1
3,899,036	A	*	8/1975	Hollnagel		280/26
3,967,692	A	*	7/1976	Hoffman		
4,291,892	A	*	9/1981	Berthold et al.		280/28
4,595,211	A	*	6/1986	Fitzpatrick		280/28
5,145,201	A	*	9/1992	Metheny		280/609
5,165,709	A	*	11/1992	Jacques		280/28
5,360,220	A	*	11/1994	Simmons		280/28
5,700,020	A	*	12/1997	Noble		280/28
5,836,594	A	*	11/1998	Simmons		280/28
6,086,101	A	*	7/2000	Cormican		280/809
6,378,889	B1	*	4/2002	Moriyama et al.		280/609

* cited by examiner

Primary Examiner—Nelson C. Holtje

(57) **CLAIM**

The ornamental design of the combined snowmobile ski and lost motion handle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the combined snowmobile ski and lost motion handle of our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a side elevational view thereof, the opposite side being a mirror image thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is an enlarged front elevational view thereof;

FIG. 6 is an enlarged rear elevational view thereof;

FIG. 7 is an enlarged side elevational view, partly sectioned, of the forward section of the combined snowmobile ski and handle;

FIG. 8 is an enlarged section view taken along the line 8—8 of FIG. 2;

FIG. 9 is a prospective view of a modification of the combined snowmobile ski and lost motion handle of FIG. 1;

FIG. 10 is a top plan view of FIG. 9;

FIG. 11 is a side elevational view of FIG. 9, the opposite side being a mirror image thereof;

FIG. 12 is a bottom plan view of FIG. 9;

FIG. 13 is an enlarged front elevational view of FIG. 9;


FIG. 14 is an enlarged rear elevational view of FIG. 9;

FIG. 15 is an enlarged side elevational view, partly sectioned, of the forward section of the combined snowmobile ski and handle of FIG. 9; and,

FIG. 16 is an enlarged sectional view taken along line 16—16 of FIG. 9.

The design of the combined snowmobile ski and lost motion handle is characterized with upwardly arched handle having a general transverse oval shape rear side with an oblong slot for accommodating a transverse bolt connecting the rear end of the handle to the ski.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16