



US00D467851S

(12) **United States Design Patent**  
**Warming**

(10) **Patent No.:** **US D467,851 S**

(45) **Date of Patent:** **\*\* Dec. 31, 2002**

(54) **SURFACE CONFIGURATION OF A DOOR FOR A VEHICLE**

(75) Inventor: **Anders Warming**, Malibu, CA (US)

(73) Assignee: **Bayerische Motoren Werke Aktiengesellschaft**, Munich (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/154,707**

(22) Filed: **Jan. 30, 2002**

(30) **Foreign Application Priority Data**

Jul. 30, 2001 (DE) ..... 401 06 965

(51) **LOC (7) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/196**

(58) **Field of Search** ..... D12/196, 90-92,  
D12/86; 296/185

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D445,725 S \* 7/2001 Goplen ..... D12/92

D448,324 S \* 9/2001 Gabath ..... D12/92

\* cited by examiner

*Primary Examiner*—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a door for a vehicle, as shown and described.

**DESCRIPTION**

This application is related to co-pending U.S. Application Ser. No. 29/154,716, of the inventor, filed on even date

herewith and entitled “Surface Configuration of a Vehicle, Toy and Miscellaneous Consumer Products Incorporating the Design.”

FIG. 1 is a left perspective view of a first embodiment of a surface configuration of a door for a vehicle according to my novel design;

FIG. 2 is a right perspective view of the first embodiment of the surface configuration of a door for a vehicle according to my novel design;

FIG. 3 is a right side view of the first embodiment of the surface configuration of a door for a vehicle according to my novel design;

FIG. 4 is a front view of the first embodiment of the surface configuration of a door for a vehicle according to my novel design;

FIG. 5 is a right perspective view of a second embodiment of the surface configuration of a door for a vehicle according to my novel design;


FIG. 6 is a left perspective view of the second embodiment of the surface configuration of a door for a vehicle according to my novel design;

FIG. 7 is a front view of the second embodiment of the surface configuration of a door for a vehicle according to my novel design; and,

FIG. 8 is a left side view of the second embodiment of the surface configuration of a door for a vehicle according to my novel design.

The broken lines included depict environment and are not part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 8




FIG. 7