

US00D467965S

(12) **United States Design Patent**  
**Haas**

(10) **Patent No.:** **US D467,965 S**

(45) **Date of Patent:** **\*\* Dec. 31, 2002**

(54) **SECURITY PASS**

(75) Inventor: **David J. Haas**, Suffern, NY (US)

(73) Assignee: **Temtec, Inc**, Suffern, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/153,406**

(22) Filed: **Jan. 9, 2002**

(51) **LOC (7) Cl.** ..... **19-08**

(52) **U.S. Cl.** ..... **D19/10**

(58) **Field of Search** ..... D11/95, 97; D19/1,  
D19/9, 10, 11; D20/22, 27, 40, 42, 43;  
40/1.5, 625, 626, 630, 661, 661.04, 661.08,  
662, 664, 666; 281/38; 283/67, 74, 81,  
101, 107

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,650,444	A	*	9/1953	Coyle et al.	.....	D11/95
3,262,223	A	*	7/1966	Stoffel	.....	D11/95
3,313,053	A	*	4/1967	Vogeli, Sr.	.....	D11/95
3,319,369	A	*	5/1967	Severson	.....	D11/95
4,165,572	A	*	8/1979	Sussman	.....	40/661
4,925,716	A	*	5/1990	Haas	.....	283/81
4,937,963	A	*	7/1990	Barnes	.....	40/661
D315,364	S	*	3/1991	Scalice et al.	.....	D19/10
D328,470	S	*	8/1992	Costello et al.	.....	D20/27
5,161,827	A	*	11/1992	Grosso	.....	40/661
5,364,132	A	*	11/1994	Haas et al.	.....	40/1.5
5,380,046	A	*	1/1995	Stephens	.....	D19/10
D365,294	S	*	12/1995	Haas et al.	.....	D11/95
5,472,547	A	*	12/1995	McKye et al.	.....	29/153
5,505,494	A	*	4/1996	Belluci et al.	.....	283/75

5,573,278	A	*	11/1996	Clemens	.....	283/109
D386,793	S	*	11/1997	Haas et al.	.....	D20/27
5,715,215	A	*	2/1998	Haas et al.	.....	40/1.5
D394,675	S	*	5/1998	Haas et al.	.....	D20/27
5,900,307	A	*	5/1999	Barcikowski	.....	40/662
6,086,971	A	*	7/2000	Haas et al.	.....	40/1.5
6,108,957	A	*	8/2000	Zapawa	.....	283/109
6,315,206	B1	*	11/2001	Hansen et al.	.....	235/380

\* cited by examiner

*Primary Examiner*—Doris V. Coles

*Assistant Examiner*—Elizabeth A. Albert

(74) *Attorney, Agent, or Firm*—Michael Zall

(57) **CLAIM**

I claim the ornamental design for a security pass, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a security pass showing my new design;

FIG. 2 is a front view of the security pass shown in FIG. 1;

FIG. 3 is a rear view of the security pass shown in FIG. 1;

FIG. 4 is a top end view of the security pass shown in FIG. 1;

FIG. 5 is a bottom end view of the security pass shown in FIG. 1;

FIG. 6 is a left side view of the security pass shown in FIG. 1; the right side view a being a mirror image thereof; and,

FIG. 7 is a cross-sectional view of the security pass in use on, for example, a shirt pocket.

The broken lines showing environment in the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**




FIG. 1



FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



# FIG. 7

