



US00D468181S

(12) **United States Design Patent**  
**Hung**

(10) **Patent No.:** **US D468,181 S**

(45) **Date of Patent:** **\*\* Jan. 7, 2003**

(54) **HAMMERHEAD**

(76) Inventor: **Yi-Kung Hung**, No. 29, Putou St.,  
Lochin Li, Lukang Chen Changhua  
Hsien (TW)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/149,469**

(22) Filed: **Oct. 9, 2001**

(51) **LOC (7) Cl.** ..... **08-02**

(52) **U.S. Cl.** ..... **D8/78; D8/79**

(58) **Field of Search** ..... D8/75, 76, 77,  
D8/78, 79, 80, 81; 81/19, 20, 21, 22, 23,  
24, 25

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D325,963 S	*	5/1992	Anderson	.....	D23/342
D420,881 S	*	2/2000	Davis et al.	.....	D8/75
D425,772 S	*	5/2000	Pringle et al.	.....	D8/78
D426,128 S	*	6/2000	Lamond et al.	.....	D8/75
D431,987 S	*	10/2000	Staton	.....	D8/75
D431,988 S	*	10/2000	Staton	.....	D8/75
D446,102 S	*	8/2001	Chen	.....	D8/75
D449,770 S	*	10/2001	Chen	.....	D8/75

\* cited by examiner

*Primary Examiner*—Philip S. Hyder

(74) *Attorney, Agent, or Firm*—Alan D. Kamrath; Rider,  
Bennett, Egan & Arundel

(57) **CLAIM**

The ornamental design for a hammerhead, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a hammerhead, showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;


FIG. 6 is a top plan view thereof;


FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a perspective view showing an embodiment of the claimed design, wherein a resilient member is received in a recess defined in the hammerhead.

Wherein the broken lines are shown for illustrative purposes only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**





**FIG. 1**




FIG. 2




FIG. 3




FIG. 4







FIG. 5



**FIG. 6**



**FIG. 7**



**FIG. 8**