



US00D468300S

(12) **United States Design Patent**
Boesen

(10) **Patent No.:** **US D468,300 S**

(45) **Date of Patent:** **** Jan. 7, 2003**

(54) **COMMUNICATION DEVICE**

(76) **Inventor:** **Peter V. Boesen**, 4026 Beaver Ave.,
Des Moines, IA (US) 50310

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/144,122**

(22) **Filed:** **Jun. 26, 2001**

(51) **LOC (7) Cl.** **14-01**

(52) **U.S. Cl.** **D14/223**

(58) **Field of Search** D14/223, 205,
D14/206, 192, 225; 381/25, 68, 151, 158,
183, 187, 315, 328, 324, 355; D24/174;
379/444, 447, 450; 181/129, 130, 135

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,556,775 A * 10/1925 Fensky 181/130
- D141,071 S * 5/1945 Hechler D24/174
- 2,787,670 A * 4/1957 Rowland 381/324
- D185,740 S * 7/1959 Criswell D24/174
- D213,448 S * 3/1969 Giller D24/174
- 4,150,262 A 4/1979 Ono
- 4,334,315 A 6/1982 Ono et al.
- 4,588,867 A 5/1986 Konomi
- 4,654,883 A 3/1987 Iwata
- 4,791,673 A 12/1988 Schreiber
- 5,191,602 A 3/1993 Regen et al.
- 5,201,007 A 4/1993 Ward et al.
- 5,280,524 A 1/1994 Norris
- 5,295,193 A 3/1994 Ono
- 5,298,692 A 3/1994 Ikeda et al.
- 5,343,532 A 8/1994 Shugart, III
- D357,479 S * 4/1995 Coomans D14/223
- 5,420,930 A * 5/1995 Shugart, III 381/315
- 5,606,621 A 2/1997 Reiter et al.
- 5,692,059 A 11/1997 Kruger
- 5,721,783 A 2/1998 Anderson
- 5,771,438 A 6/1998 Palermo et al.
- D411,540 S 6/1999 Mavrakis et al.
- 5,987,146 A 11/1999 Pluvinage et al.

6,021,207 A 2/2000 Puthuff et al.

6,094,492 A 7/2000 Boesen

6,181,801 B1 1/2001 Puthuff et al.

FOREIGN PATENT DOCUMENTS

GB 2 074 817 11/1981

OTHER PUBLICATIONS

Airmagic Wireless Headset User's Guide (not dated).
"Wireless Solutions for Hearing Instruments," by Anton
Bartschi, High Performance Hearing Solutions, vol. 3—Jan.,
1999, pp. 48–52.

* cited by examiner

Primary Examiner—Paula A. Mortimer
(74) *Attorney, Agent, or Firm*—McKee, Voorhees & Sease,
P.L.C.


(57) **CLAIM**

I claim the ornamental design for a communication device,
substantially as shown.

DESCRIPTION

FIG. 1 is a perspective view of the communication device.
FIG. 2 is a front elevational view of the communication
device;
FIG. 3 is a back elevational view of the communication
device;
FIG. 4 is a top elevational view of the communication
device;
FIG. 5 is a bottom elevational view of the communication
device;
FIG. 6 is a right side elevational view of the communication
device; and,
FIG. 7 is a left side elevational view of the communication
device.
The broken line showing of the human form in FIGS. 2 and
6 is for illustrative purposes only and forms no part of the
claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 7




Fig. 6