



US00D468430S

(12) **United States Design Patent**  
**Hoelbl**

(10) **Patent No.:** **US D468,430 S**

(45) **Date of Patent:** **\*\* Jan. 7, 2003**

(54) **HAND-HELD NON-CONTACT TONOMETER**

**FOREIGN PATENT DOCUMENTS**

(75) **Inventor:** **Werner Hoelbl, Vienna (AT)**

EP 1 121 895 A2 8/2001

(73) **Assignee:** **Leica Microsystems Inc., Depew, NY (US)**

\* cited by examiner

(\*\*) **Term:** **14 Years**

*Primary Examiner*—Stella Reid

(74) *Attorney, Agent, or Firm*—Hodgson Russ LLP

(21) **Appl. No.:** **29/151,626**

(22) **Filed:** **Nov. 8, 2001**

(57) **CLAIM**

The ornamental design for a hand-held non-contact tonometer, as shown.

(51) **LOC (7) Cl.** ..... **24-01**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D24/172**

(58) **Field of Search** ..... D24/172; 600/400–405, 600/438, 452, 449, 473, 476, 398, 399

FIG. 1 is a front perspective view of a hand-held non-contact tonometer showing my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a left-side elevational view thereof;

FIG. 4 is a right-side elevational view thereof;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**


3,181,351 A \* 5/1965 Stauffer ..... 600/401

4,817,620 A \* 4/1989 Katsuragi et al. .... 128/648

5,629,747 A \* 5/1997 Miyake ..... 351/218

5,865,742 A \* 2/1999 Massie ..... 600/405

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8