

(12) United States Design Patent (10) Patent No.: US D468,519 S Garcia (45) Date of Patent: ** Jan. 14, 2003

(54) **SHOE UPPER**

- (75) Inventor: Claudia Garcia, Brooklyn, NY (US)
- (73) Assignee: Jack Schwarts Shoes, Inc., NY (US)

(**) Term: 14 Years

- (21) Appl. No.: 29/127,932
- (22) Filed: Aug. 15, 2000

FN, Footwear News, vol. 53, No. 48, Dec. 17, 1997, two sheets—Dec. 1997.

FN, Footwear News, vol. 54, No. 6, Feb. 9, 1998, three sheets—Feb. 1998.

* cited by examiner

Primary Examiner—Louis S. Zarfas
Assistant Examiner—Gregory Andoll
(74) Attorney, Agent, or Firm—St. Onge Steward Johnston

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/118,051, filed on Feb. 3, 2000, now Pat. No. Des. 435,332.
- (51) LOC (7) Cl. 02-04
- (52) **U.S. Cl.** **D2/969**; D2/970; D2/911;
- D2/910; D2/909 (58) Field of Search D2/897, 898, 902–912, D2/919, 923, 924, 926, 943, 944, 964, 968–970; 36/83, 102, 103, 105, 106, 113, 114, 115, 126–131, 8.1–8.4, 11, 25 R, 34 R, 38, 45, 50.1
- (56) **References Cited**

U.S. PATENT DOCUMENTS

1,871,763 A	≉	8/1932	Wiggin	
D399,043 S	*	10/1998	Duclos	D2/969

OTHER PUBLICATIONS

& Reens LLC

(57)

CLAIM

The ornamental design for a shoe upper, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a shoe upper showing my new design;
FIG. 2 is a right side view of the shoe upper shown in FIG. 1;
FIG. 3 is a left side view of the shoe upper shown in FIGS. 1–2;
FIG. 4 is a top plan view of the shoe upper shown in FIGS. 1–3.
FIG. 5 is a frontal view of the shoe upper shown in FIGS. 1–4; and,
FIG. 6 is a rear view of the shoe upper shown in FIGS. 1–5. The broken line drawing of a strap anchor section, and shoe sole in FIGS. 1–6 is for illustrative purposes only and forms

no part of the claimed design.

Skechers 1997 Catalogue, eight sheets—1997. Skechers 1999 Spring Supplement Catalogue, 4 sheets— 1999.

1 Claim, 3 Drawing Sheets



U.S. Patent Jan. 14, 2003 Sheet 1 of 3 US D468,519 S



F1G. 2

U.S. Patent Jan. 14, 2003 Sheet 2 of 3 US D468,519 S



F/G. 3





F/G. 4

U.S. Patent Jan. 14, 2003 Sheet 3 of 3 US D468,519 S



F/G. 5



F/G. 6