



US00D468622S

(12) **United States Design Patent**
Sarkinen et al.

(10) **Patent No.:** **US D468,622 S**
(45) **Date of Patent:** **** Jan. 14, 2003**

(54) **CABLE GUIDE DEVICE FOR GUIDING CABLES OVER MULTIPLE PATHS**

(75) Inventors: **Scott A. Sarkinen**, Mounds View, MN (US); **Scott A. Davidson**, Savage, MN (US); **Joseph A. Halfen**, Woodbury, MN (US); **Micah T. Somers**, Minneapolis, MN (US); **Kevin L. Stevens**, Shakopee, MN (US)

(73) Assignee: **Terago Communications, Inc.**, Maple Grove, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/147,094**

(22) Filed: **Aug. 22, 2001**

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Search** D8/349, 354, 355, D8/356, 357, 373, 380; D13/154, 155; 174/72 A, 97; 211/26, 26.2; 248/49, 58, 68.1; 361/826, 829; 379/327, 328, 329; 385/134, 135, 136, 137; 439/532, 714, 719

(56) **References Cited**

U.S. PATENT DOCUMENTS

D241,711 S	*	10/1976	Wallace	D8/373
4,320,261 A		3/1982	Scerbo et al.		
5,040,752 A		8/1991	Morrison		
D354,904 S		1/1995	Halsten		
5,398,991 A		3/1995	Smith et al.		
D359,226 S	*	6/1995	Trapp	D8/355
5,720,632 A		2/1998	Viklund		
5,731,546 A		3/1998	Miles et al.		
5,862,291 A		1/1999	Stockman et al.		
D408,907 S		4/1999	Moreno		
5,893,539 A		4/1999	Tran et al.		
5,921,402 A		7/1999	Magenheimer		
5,922,997 A		7/1999	Lecinski		

5,947,429 A	9/1999	Sweere et al.
5,992,809 A	11/1999	Sweere et al.
6,006,243 A	12/1999	Karidis
6,019,323 A	2/2000	Jette
6,019,332 A	2/2000	Sweere et al.
D427,674 S	7/2000	Moreno
6,118,075 A	9/2000	Baker et al.
6,127,631 A	10/2000	Green et al.
6,144,549 A	11/2000	Moss et al.
6,170,784 B1	1/2001	MacDonald et al.
D437,405 S	2/2001	Schrank
6,195,493 B1	2/2001	Bridges
D438,948 S	3/2001	Schrank
6,215,069 B1	4/2001	Martin et al.
6,219,235 B1	4/2001	Diaz et al.
6,223,909 B1	5/2001	Mendoza
D456,241 S	* 4/2002	Chan et al. D8/356

* cited by examiner

Primary Examiner—Doris V. Coles

Assistant Examiner—Elizabeth A. Albert

(74) *Attorney, Agent, or Firm*—Kagan Binder, PLLC.

(57) **CLAIM**

The ornamental design for a cable guide device for guiding cables over multiple paths, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front face of a cable guide device for guiding cables over multiple paths of the present design to which cable captive elements (not shown) can be attached to space cables from the front surface;

FIG. 2 is a front plan view thereof showing mounting recesses for cable capture elements along the bottom and side edges;


FIG. 3 is a rear plan view thereof;

FIG. 4 is a top elevational view thereof;

FIG. 5 is a bottom elevational view thereof; and,

FIG. 6 is a left side elevational view thereof, the right side being a mirror image thereof.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6