



US00D468670S

(12) **United States Design Patent**
Warming

(10) **Patent No.:** **US D468,670 S**

(45) **Date of Patent:** **** Jan. 14, 2003**

(54) **SURFACE CONFIGURATION OF A SIDE MIRROR FOR A VEHICLE**

(75) Inventor: **Anders Warming**, Malibu, CA (US)

(73) Assignee: **Bayerische Motoren Werke Aktiengesellschaft**, Munich (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/154,720**

(22) Filed: **Jan. 30, 2002**

(30) **Foreign Application Priority Data**

Jul. 30, 2001 (DE) 4 01 06 965

(51) **LOC (7) Cl.** **12-16**

(52) **U.S. Cl.** **D12/187**

(58) **Field of Search** D12/187-189,
D12/90-92; 359/838-850, 864, 868-881

(56) **References Cited**

U.S. PATENT DOCUMENTS

D410,421 S	*	6/1999	Pfeiffer	D12/187
D427,127 S	*	6/2000	Horowitz	D12/187
D428,840 S	*	8/2000	Weidhase	D12/187
D432,473 S	*	10/2000	Sieber	D12/187
D449,262 S	*	10/2001	Huo	D12/187
D455,690 S	*	4/2002	Lee	D12/187

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a side mirror for a vehicle, as shown and described.

DESCRIPTION

This application is related co-pending U.S. Application Ser. No. 29/154,716, of the inventor, filed on even date herewith and entitled "Surface Configuration of a Vehicle, Toy and Miscellaneous Consumer Products Incorporating the Design".

FIG. 1 is a rear perspective view of a first embodiment of a surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 2 is a front perspective view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 3 is a front view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 4 is a rear view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 5 is a side view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 6 is a top view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 7 is a bottom view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 8 is a rear perspective view of a second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 9 is a front perspective view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 10 is a front view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 11 is a rear view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;


FIG. 12 is a side view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 13 is a top view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design; and,

FIG. 14 is a bottom view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design.

The broken lines included depict environment and are not part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14