



US00D469031S

(12) **United States Design Patent**
Truisi

(10) **Patent No.:** **US D469,031 S**

(45) **Date of Patent:** **** Jan. 21, 2003**

(54) **PIN**
(76) **Inventor:** **Michael J. Truisi**, 30 Ithaca St., Staten Island, NY (US) 10306
(**) **Term:** **14 Years**

D55,053 S * 5/1920 Kazanjian D11/99
D253,755 S * 12/1979 Minassian D11/81
D304,699 S * 11/1989 De brey D11/99
D304,812 S * 11/1989 De brey D11/227
D432,267 S * 10/2000 Wardlaw D28/78

* cited by examiner

(21) **Appl. No.:** **29/134,163**
(22) **Filed:** **Dec. 15, 2000**

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Barbara Wyatt Crawford
(74) *Attorney, Agent, or Firm*—Goodwin Procter LLP

Related U.S. Application Data

(62) Division of application No. 29/114,952, filed on Dec. 3, 1999, now Pat. No. Des. 438,255.
(51) **LOC (7) Cl.** **11-01**
(52) **U.S. Cl.** **D11/48; D11/49**
(58) **Field of Search** D11/48, 49, 50, D11/55-79, 99, 81, 227; D19/90; D28/78; D14/478; 63/11, 12-13, 14.1-14.3, 18-19, 20-21, 26-28


(57) **CLAIM**
The ornamental design for a pin, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of one embodiment of the present invention.
FIG. 2 is a front elevational view thereof.
FIG. 3 is a rear elevational view thereof.
FIG. 4 is a left side elevational view thereof.
FIG. 5 is a right side elevational view thereof.
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

(56) **References Cited**
U.S. PATENT DOCUMENTS
877,842 A * 1/1908 Higley D11/99

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7