



US00D469309S

(12) **United States Design Patent** (10) **Patent No.:** **US D469,309 S**
Janky (45) **Date of Patent:** **** Jan. 28, 2003**

(54) **TRAVELER MUG**

(75) Inventor: **Gregory T. Janky**, Sammamish, WA (US)

(73) Assignee: **Pacific Market, Inc.**, Seattle, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/144,324**

(22) Filed: **Jun. 28, 2001**

(51) **LOC (7) Cl.** **07-01**

(52) **U.S. Cl.** **D7/510; D7/511; D7/533**

(58) **Field of Search** D7/509, 507, 510, D7/511, 523, 533, 536, 622; 220/711, 712, 713, 710.5; 215/200; 229/402

(56) **References Cited**

U.S. PATENT DOCUMENTS

D38,248 S	9/1906	Helmer
1,128,216 A	2/1915	Anderson
D82,238 S	10/1930	Parker
D88,258 S	11/1932	Rose
D113,137 S	1/1939	Fuerst

(List continued on next page.)

OTHER PUBLICATIONS

The Thermos Company, Travel Mug JMD 500, magazine, USA.

Contemporary Classics, The Traveler Car Mug, catalog, USA.

Contemporary Classics, Mobile Mug, catalog, USA.

Contemporary Classics, 1996 Centennial Olympic Collection, catalog, USA.

The Thermos Company, Vacuum Insulated Mug 180/JMJ 350, magazine, USA.

Highwave Incorporated, Highwave Designs for '95, catalog, USA.

Pacific Market, Inc., (design sold at least as early as 1996).

Pacific Market, Inc. (design sold at least as early as 1996).

Pacific Market, Inc. (design sold at least as early as 1996).

Pacific Market, Inc. (design sold at least as early as 1996).

Pacific Market, Inc. (design sold at least as early as 1998).

Pacific Market, Inc. (design sold at least as early as 1998).

Pacific Market, Inc. (design sold at least as early as 1999).

Tumbler #8852, Monongah Glass Company Catalog, p 167, Apr. 1920.

Tumbler #8735, Monongah Glass Company Catalog, p. 165, Apr. 1920.

Primary Examiner—M. N. Pandozzi

(74) *Attorney, Agent, or Firm*—Seed IP Law Group PLLC

(57) **CLAIM**

The ornamental design for a traveler mug, as shown and described.

DESCRIPTION

FIG. 1 is a top right perspective view of a traveler mug showing my new design.

FIG. 2 is a front elevational view of the design.

FIG. 3 is a right side elevational view of the design.

FIG. 4 is a rear elevational view of the design.

FIG. 5 is a left side elevational view of the design.

FIG. 6 is an enlarged, partial sectional view of the encircled area in FIG. 5 illustrating the partially transparent nature of an outer shell of the design;

FIG. 7 is a top plan view of the design;

FIG. 8 is a bottom plan view of the design;

FIG. 9 is a top right perspective view showing a second embodiment of my new design;

FIG. 10 is a front elevational view thereof;

FIG. 11 is a right side elevational view thereof;

FIG. 12 is a rear elevational view thereof;


FIG. 13 is a left side elevational view thereof;

FIG. 14 is an enlarged, partial sectional view of the encircled area in FIG. 12 illustrating the partially transparent nature of an outer shell of the second embodiment of the design;

FIG. 15 is a top plan view thereof; and,

FIG. 16 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets



US D469,309 S

Page 2

U.S. PATENT DOCUMENTS				
D118,654 S	1/1940	Sawyer		D424,878 S * 5/2000 Freed D7/533
D170,409 S	9/1953	Hare		D425,758 S * 5/2000 Freed D7/533
D231,068 S	4/1974	Douglas		D426,109 S * 6/2000 Freed D7/533
4,151,923 A	5/1979	Bernardi		D429,959 S * 8/2000 Otake D7/510
D353,973 S	1/1995	Adado		D431,159 S * 9/2000 Otake D7/510
D384,860 S	10/1997	Trombly		D433,876 S 11/2000 Freed
D387,620 S	12/1997	Trombly.		D434,275 S * 11/2000 Ginuntoli et al. D7/533
D396,777 S	8/1998	Inoue		D436,296 S 1/2001 Freed
D398,187 S	9/1998	Parker		D439,473 S * 3/2001 Lin D7/510
D398,815 S	9/1998	Hatsumoto et al.		D442,030 S 5/2001 Freed
D406,011 S *	2/1999	Hatsumoto et al.	D7/510	D454,756 S * 3/2002 Janky et al. D7/510
D408,221 S	4/1999	Asberg		D457,035 S * 5/2002 Hurlbut D7/510
D417,819 S	12/1999	Kelly-Pollet		D457,395 S * 5/2002 Gluck D7/510
D418,013 S	12/1999	Fujii		D457,396 S * 5/2002 Janky et al. D7/510
D420,254 S	2/2000	Park		D458,082 S * 6/2002 Gluck D7/510
D422,842 S	4/2000	Freed		RE37,773 E * 7/2002 Trombley D7/511
				* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5




FIG. 5A

FIG. 5A




FIG. 6





FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

FIG. 12




FIG. 13





FIG. 14



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 469,309 S
DATED : January 28, 2003
INVENTOR(S) : Gregory T. Janky

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings.

The attached drawings that are correctly numbered Figures 5 through 16 should be substituted for the previous drawings in accordance with the description of the drawings in the patent, so that Figure 5A is renumbered as Figure 6; Figure 6 is renumbered as Figure 7; Figure 7 is renumbered as Figure 8; Figure 8 is renumbered as Figure 9; Figure 9 is renumbered as Figure 10; Figure 10 is renumbered as Figure 11; Figure 11 is renumbered as Figure 12; Figure 12 is renumbered as Figure 13; Figure 14 is renumbered as Figure 15 and Figure 15 is renumbered as Figure 16, and so that Figure 14 (previously numbered as Figure 12A) is added.

Figure 14 (previously numbered as Figure 12A) should be added.

Signed and Sealed this

Seventeenth Day of June, 2003

A handwritten signature in black ink, appearing to read "James E. Rogan", with a long horizontal stroke extending from the bottom of the signature.

JAMES E. ROGAN
Director of the United States Patent and Trademark Office




FIG. 5




FIG. 6




FIG. 7




FIG. 8

U.S. Patent

Jan. 28, 2003

Sheet 4 of 6

D 469,309 S




FIG. 9




FIG. 10

U.S. Patent

Jan. 28, 2003

Sheet 5 of 6

D 469,309 S




FIG. 11




FIG. 12

U.S. Patent

Jan. 28, 2003

Sheet 6 of 6

D 469,309 S




FIG. 13




FIG. 14




FIG. 15




FIG. 16