



US00D469333S

(12) **United States Design Patent**
Staples

(10) **Patent No.:** **US D469,333 S**

(45) **Date of Patent:** **** Jan. 28, 2003**

(54) **BASKETBALL HOOP LOCK**

(76) Inventor: **James R. Staples**, 3111 Gilboa, Zion,
IL (US) 60099

(**) Term: **14 Years**

(21) Appl. No.: **29/150,822**

(22) Filed: **Nov. 30, 2001**

Related U.S. Application Data

(60) Division of application No. 29/127,962, filed on Aug. 14,
2000, now Pat. No. Des. 456,238, which is a continuation-
in-part of application No. 29/111,333, filed on Sep. 24, 1999,
now abandoned.

(51) **LOC (7) Cl.** **08-07**

(52) **U.S. Cl.** **D8/339**

(58) **Field of Search** D8/330, 331, 339;
70/14, 57, 158, 166, 167, 169; 473/479,
485; 224/434

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,710,189 A	6/1955	Carroll	273/1.5
2,918,283 A	12/1959	Marschalk	273/1.5
3,910,574 A	10/1975	Voltz et al.	273/1.5 A
4,029,370 A	6/1977	Ziegel et al.	312/284
4,546,975 A	10/1985	Nims	273/65 R
D336,500 S	6/1993	Driska	D21/201
5,330,361 A	7/1994	Brend	
D354,534 S	1/1995	Michalik	D21/201
5,433,095 A	7/1995	Mitchell et al.	70/209
5,439,210 A	8/1995	Davis	273/1.5 R
5,582,401 A	12/1996	Malone et al.	
5,609,049 A	3/1997	Rundle et al.	70/202
5,628,507 A	5/1997	Johnson	
D385,482 S	10/1997	Bried et al.	D8/378
5,730,667 A	3/1998	Jones	473/447
5,775,559 A	7/1998	Mechanic et al.	
D398,346 S	9/1998	Wiedner	D21/201

D398,347 S	9/1998	Wiedner	D21/201
D399,895 S	10/1998	Schickert et al.	D21/200
5,816,948 A	10/1998	Davies, Jr. et al.	473/485
D400,607 S	11/1998	Wiedner	D21/201
D402,346 S	12/1998	Wiedner et al.	D21/781
D404,096 S	1/1999	Wiedner et al.	D21/701
D404,447 S	1/1999	Wiedner et al.	D21/701
5,881,583 A	3/1999	Booker et al.	70/57
D411,255 S	6/1999	Schickert et al.	D21/201

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Fitch, Even, Tabin, &
Flannery

(57) **CLAIM**

I claim the ornamental design for a basketball hoop lock, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a basketball hoop lock of my
new invention in its closed state locked onto a basketball
rim;

FIG. 2 is a front elevational view of the basketball hoop lock
of FIG. 1;

FIG. 3 is a left side elevational view of the basketball hoop
lock of FIG. 1;

FIG. 4 is a rear elevational view of the basketball hoop lock
of FIG. 1;

FIG. 5 is a top plan view of the basketball hoop lock of FIG.
1;

FIG. 6 is a right side elevational view of the basketball hoop
lock of FIG. 1;

FIG. 7 is a bottom plan view of the basketball hoop lock of
FIG. 1; and,

FIG. 8 is a perspective view of the basketball hoop lock of
FIG. 1 in its open state prior to being locked onto the
basketball rim.

The broken line environmental showing is for illustrative
purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets





