



US00D469367S

(12) **United States Design Patent**  
**Mirabelli et al.**

(10) **Patent No.:** **US D469,367 S**

(45) **Date of Patent:** **\*\* Jan. 28, 2003**

(54) **GPS RECEIVER**

D459,327 S \* 6/2002 Ali ..... D14/138  
D461,185 S \* 8/2002 Ando ..... D14/341

(75) Inventors: **Anthony Alfred Mirabelli**, Arlington Heights, IL (US); **Erin Marie Napolitano**, Chicago, IL (US); **Bjorn James Gunderson**, Chicago, IL (US); **Mark Robert Gartz**, Mount Prospect, IL (US); **Jimmy-Quang Viet Doan**, Chicago, IL (US)

**OTHER PUBLICATIONS**

Cabela's Fall 2001 p. 376 GPS units.\*  
Photographs of GPS 12XL, Rino 110/120, GPSMAP 76S, and eTrex Legend Receivers by Garmin International, Inc., Olathe, KS.  
Photographs of Magellan's GPS ColorTRAK, Blazer12, MAP 330, and Meridian GPS Receivers by Thales Navigation, Santa Clara, CA.

(73) Assignee: **Cobra Electronics Corporation**, Chicago, IL (US)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Louis S. Zarfes

(21) Appl. No.: **29/153,062**

*Assistant Examiner*—Deanne Levy

(22) Filed: **Jan. 4, 2002**

(74) *Attorney, Agent, or Firm*—Wallenstein & Wagner, Ltd.

(51) **LOC (7) Cl.** ..... **10-04**

(57) **CLAIM**

(52) **U.S. Cl.** ..... **D10/65; D14/138; D14/230**

What is claimed is the ornamental Design for a GPS receiver, as shown and described.

(58) **Field of Search** ..... D14/137-138, D14/299, 230, 232, 233, 235-238, 155, 341, 343-345, 358, 388; 343/702, 872, 873; 455/90-92, 95, 128, 347, 575; D10/61-65, 78, 70

**DESCRIPTION**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D424,060 S \* 5/2000 Baker et al. .... D14/218  
D424,456 S \* 5/2000 Hoofnagle et al. .... D10/78  
D436,591 S \* 1/2001 Abston et al. .... D14/341  
D440,504 S \* 4/2001 Warner et al. .... D10/65  
D443,537 S \* 6/2001 Nix ..... D10/70  
D451,484 S \* 12/2001 Page et al. .... D14/137

FIG. 1 is a perspective view of a preferred embodiment of a GPS Receiver.  
FIG. 2 is a bottom view of the GPS receiver of FIG. 1.  
FIG. 3 is a top view of the GPS receiver of FIG. 1.  
FIG. 4 is a front view of the GPS receiver of FIG. 1.  
FIG. 5 is a first side view of the GPS receiver of FIG. 1.  
FIG. 6 is a second side view of the GPS receiver of FIG. 1.  
FIG. 7 is a rear view of the GPS receiver of FIG. 1.  
The broken lines in the figures form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

