



US00D469412S

(12) **United States Design Patent**
Witte

(10) **Patent No.:** **US D469,412 S**

(45) **Date of Patent:** **** Jan. 28, 2003**

(54) **ENCLOSURE SYSTEM**

(75) **Inventor:** **Kay-Uwe Witte**, Offenbach (DE)

(73) **Assignee:** **Rittal-Werk Rudolf Loh GmbH & Co. KG**, Herborn (DE)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/125,260**

(22) **Filed:** **Jun. 20, 2000**

(30) **Foreign Application Priority Data**

Dec. 20, 1999 (DE) 4 99 11 771

(51) **LOC (7) Cl.** **13-99**

(52) **U.S. Cl.** **D13/184**

(58) **Field of Search** D13/184, 152,
D13/123; D14/188, 218, 240, 313, 314,
434, 446, 444; D6/448; 174/48-49, 50-67,
65 R, 58; 312/223.1, 223.2; 361/679, 724,
829, 683

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|----|---|---------|----------------|-------|---------|
| 2,042,848 | A | * | 6/1936 | Horn | | 312/1 |
| 3,247,312 | A | * | 4/1966 | Alessi | | 174/35 |
| D297,930 | S | * | 10/1988 | Bohm | | D14/40 |
| D325,829 | S | * | 5/1992 | Cury | | D6/436 |
| D366,247 | S | * | 1/1996 | Mazura et al. | | D13/184 |
| D379,004 | S | * | 4/1997 | Keijser et al. | | D13/184 |
| 5,994,644 | A | * | 11/1999 | Rindoks et al. | | 174/48 |
| D427,454 | S | * | 7/2000 | Munch et al. | | D6/448 |
| 6,201,690 | B1 | * | 3/2001 | Moore et al. | | 361/683 |

* cited by examiner

Primary Examiner—Ted Shooman

Assistant Examiner—Daniel Bui

(74) *Attorney, Agent, or Firm*—Pauley Petersen Kinne & Erickson

(57) **CLAIM**

The ornamental design for an enclosure system, as shown.

DESCRIPTION

FIG. 1 is a perspective view of an enclosure system, such as for housing electronics hardware and software, according to one preferred embodiment of this invention;

FIG. 2 is a front view of the enclosure system shown in FIG. 1;

FIG. 3 is a side view of the enclosure system shown in FIG. 1;

FIG. 4 is a side view, opposite the side view shown in FIG. 3, of the enclosure system shown in FIG. 1;

FIG. 5 is a top view of the enclosure system shown in FIG. 1;

FIG. 6 is a bottom view of the enclosure system shown in FIG. 1;

FIG. 7 is a rear view of the enclosure system shown in FIG. 1;

FIG. 8 is a perspective view of an enclosure system, such as for housing electronics hardware and software, according to another preferred embodiment of this invention;

FIG. 9 is a front view of the enclosure system shown in FIG. 8;

FIG. 10 is a side view of the enclosure system shown in FIG. 8;


FIG. 11 is a side view, opposite the side view shown in FIG. 10, of the enclosure system shown in FIG. 8;

FIG. 12 is a top view of the enclosure system shown in FIG. 8;

FIG. 13 is a bottom view of the enclosure system shown in FIG. 8; and,

FIG. 14 is a rear view of the enclosure system shown in FIG. 8.

1 Claim, 14 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG.14