



US00D469471S

(12) **United States Design Patent** (10) **Patent No.:** **US D469,471 S**  
**Chaduc et al.** (45) **Date of Patent:** **\*\* Jan. 28, 2003**

(54) **TAMPER PROOF LABEL**

(75) Inventors: **Alain Chaduc**, Loubeyrat (FR); **Olivier Naudan**, Perignat (FR)

(73) Assignee: **Laboratoires Merck Sharp and Dohme-Chibret** (FR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/146,786**

(22) Filed: **Aug. 15, 2001**

(51) **LOC (7) Cl.** ..... **19-08**

(52) **U.S. Cl.** ..... **D20/22**

(58) **Field of Search** ..... D20/22, 27; 4/299.01, 4/306, 310, 625-630, 5-6, 27

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

958,887 A	5/1910	Parmele	
2,272,262 A	2/1942	Carter	
3,983,645 A	10/1976	Rycroft	
4,540,101 A	9/1985	Kutcher	
4,640,427 A	2/1987	Marino et al.	
4,722,376 A *	2/1988	Rhyner	206/37
D304,040 S *	10/1989	Thul	D20/22
5,048,711 A	9/1991	Weiss et al.	
5,217,307 A	6/1993	McClintock	
5,495,944 A	3/1996	Lermer	
5,727,819 A	3/1998	Grosskopf et al.	
5,882,118 A *	3/1999	Daniels et al.	383/8
D451,554 S *	12/2001	Fasano	D20/22

\* cited by examiner

*Primary Examiner*—Ian Simmons  
*Assistant Examiner*—Robert A. Delehanty

(74) *Attorney, Agent, or Firm*—James M. Hunter; Mark R. Daniel

(57) **CLAIM**

We claim the ornamental design for a tamper proof label, as shown and described.


**DESCRIPTION**

FIG. 1 is an isometric view in elevation of a container and cap assembly having the tamper proof label of the present invention affixed thereto;  
 FIG. 2 is a front view in elevation of a container and cap assembly having the tamper proof label of the present invention affixed thereto;  
 FIG. 3 is a side view in elevation of a container and cap assembly having the tamper proof label of the present invention affixed thereto;  
 FIG. 4 is a front view in elevation of the tamper proof label of the present invention;  
 FIG. 5 is a back view in elevation of the tamper proof label of the present invention;  
 FIG. 6 is a top view in elevation of the tamper proof label of the present invention; and,  
 FIG. 7 is a bottom view in elevation of the tamper proof label of the present invention.

The label is characterized as having upper and lower portions, the upper portion being further characterized as 2 opposing tabs. The upper and lower portions being joined together by a tear strip having perforations, wherein pull tabs are located at opposite ends of the strip.

The broken line shown on the label represents perforation. The broken line showing of a container and cap assembly is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3

---

FIG. 6




FIG. 4

FIG. 7




FIG. 5