

US00D469515S

(12) **United States Design Patent**
Lim

(10) **Patent No.:** **US D469,515 S**

(45) **Date of Patent:** **** Jan. 28, 2003**

(54) **SPOUT BODY**

(75) Inventor: **Won Sub Lim**, Kyunghi-do (KR)

(73) Assignee: **American Standard International Inc.**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/152,034**

(22) Filed: **Dec. 10, 2001**

(30) **Foreign Application Priority Data**

Jun. 14, 2001 (KR) 01-16238

(51) **LOC (7) Cl.** **23-01**

(52) **U.S. Cl.** **D23/255; D23/238**

(58) **Field of Search** **D23/238-257;**
4/675-678; 16/110 R-121; D8/300-308

(56) **References Cited**

U.S. PATENT DOCUMENTS

D397,422 S * 8/1998 Meisner et al. D23/238

D422,341 S * 4/2000 Slothower et al. D23/238
D441,425 S * 5/2001 Lim D23/238
D446,285 S * 8/2001 Tzeng D23/238

* cited by examiner

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Gregory Andoll

(57) **CLAIM**

The ornamental design for a spout body, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a spout body showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6

