



US00D469596S

(12) **United States Design Patent** (10) **Patent No.:** **US D469,596 S**  
**Schneider** (45) **Date of Patent:** **\*\* Feb. 4, 2003**

(54) **PAIR OF CHAPS**

(76) Inventor: **Linda A. Schneider**, 4872 Vista  
Arroyo, La Mesa, CA (US) 91941

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/160,040**

(22) Filed: **May 1, 2002**

(51) **LOC (7) Cl.** ..... **02-02**

(52) **U.S. Cl.** ..... **D2/860; D2/742**

(58) **Field of Search** ..... D2/728, 742, 860,  
D2/861, 862, 863, 864; 2/22, 224, 227,  
242, 46, 48, 49.1, 49.2, 49.3, 50, 51, 104;  
36/2 R; 119/537; 128/891

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |   |   |         |                        |        |
|-----------|---|---|---------|------------------------|--------|
| 3,800,330 | A | * | 4/1974  | Bowcut                 | 2/227  |
| 4,382,301 | A | * | 5/1983  | Hightower, Jr.         | 2/22   |
| 4,506,391 | A | * | 3/1985  | Rodman                 | 2/227  |
| RE32,506  | E | * | 9/1987  | Hightower, Jr.         | 2/22   |
| 4,843,654 | A | * | 7/1989  | March                  | 2/227  |
| 5,033,126 | A | * | 7/1991  | Wruck et al.           | 2/242  |
| D321,969  | S | * | 12/1991 | Upthegrove, Jr. et al. | D2/860 |
| D391,739  | S | * | 3/1998  | Volpati                | D2/742 |
| D420,492  | S | * | 2/2000  | Tannenbaum             | D2/860 |

\* cited by examiner

*Primary Examiner*—Celia Murphy

(74) *Attorney, Agent, or Firm*—Donn K. Harms

(57) **CLAIM**

The ornamental design for a pair of chaps, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a pair of chaps showing my new design, the broken lines showing the shoes and torso of a human figure being to illustrate the use, and forming no part of the claim. The broken lines shown on the surface of the chaps, throughout the views, are understood to represent stitching;

FIG. 2 is a front view thereof;


FIG. 3 is a left side view thereof, the opposite side being substantially similar except for the absence of the depicted change pocket;

FIG. 4 is a rear elevational view thereof, shown in a flattened configuration;

FIG. 5 is a second rear view thereof with the right leg unfastened and opened to show a portion of the interior; and,

FIG. 6 is a front view thereof opposite FIG. 4 with both legs unfastened and opened to show the exterior surface of both legs.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6