



US00D469664S

(12) **United States Design Patent**  
**Marks et al.**

(10) **Patent No.:** **US D469,664 S**

(45) **Date of Patent:** **\*\* Feb. 4, 2003**

(54) **SELF-CONTAINED WARMING AND COOLING VESSEL**

(76) Inventors: **Michael H. Marks**, 90 Birchwood Ter., Wayne, NJ (US) 07470; **Arlene J. Marks**, 90 Birchwood Ter., Wayne, NJ (US) 07470

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/158,942**

(22) Filed: **Apr. 12, 2002**

**Related U.S. Application Data**

(62) Division of application No. 29/122,538, filed on May 1, 2000, now Pat. No. Des. 458,086.

(51) **LOC (7) Cl.** ..... **07-01**

(52) **U.S. Cl.** ..... **D7/608**

(58) **Field of Search** ..... D7/605-608; D15/80, D15/89, 90; 62/457.1-457.7, 1, 66; 215/12.1, 12.2, 13.1, 6; 220/592.16, 592.27

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,160,165 A \* 5/1939 Patterson ..... 62/457.1

4,402,195 A \* 9/1983 Campbell ..... 215/12.1 X

4,410,085 A \* 10/1983 Beneziat et al. .... 215/6 X

4,793,476 A \* 12/1988 Schrupp ..... 215/6 X

5,197,602 A \* 3/1993 Biesecker et al. .... 215/6 X

\* cited by examiner

*Primary Examiner*—Terry A. Wallace

(57) **CLAIM**

The ornamental design for self-contained warming and cooling vessel, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a self-contained warming and cooling vessel of the invention;

FIG. 2 is a front elevational view thereof;


FIG. 3 is an exploded section view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a top plan view of the lower member shown in FIG. 3; and,

FIG. 6 is a bottom plan view of the vessel.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6