



US00D470231S

(12) **United States Design Patent**
Otte et al.

(10) **Patent No.:** **US D470,231 S**

(45) **Date of Patent:** **** Feb. 11, 2003**

- (54) **TOILET SEAT AND COVER**
- (75) Inventors: **Timothy J. Otte**, Sheboygan Falls, WI (US); **Patrick J. Raymakers**, Sheboygan Falls, WI (US)
- (73) Assignee: **Bemis Manufacturing Company**, Sheboygan Falls, WI (US)
- (**) Term: **14 Years**

- 5,432,956 A 7/1995 Park
- D371,191 S 6/1996 McNeill
- D379,498 S 5/1997 Matsunaga
- D387,851 S 12/1997 Pieters
- D389,903 S 1/1998 Jones et al.
- 5,829,073 A 11/1998 Lee
- D402,740 S 12/1998 Ochi et al.
- D413,969 S 9/1999 Lin

(List continued on next page.)

- (21) Appl. No.: **29/138,516**
- (22) Filed: **Mar. 15, 2001**
- (51) **LOC (7) Cl.** **23-02**
- (52) **U.S. Cl.** **D23/311**
- (58) **Field of Search** D23/295-300, D23/303, 309, 311-312; 4/234, 237, 300, 347, 420, 449, 460, 476-477, 483

OTHER PUBLICATIONS

U.S. patent application Ser. No. 29/127,569 filed Aug. 8, 2000 by Otte, pending.*

Primary Examiner—Doris Clark
Assistant Examiner—Robert A. Delehanty
(74) *Attorney, Agent, or Firm*—Michael Best & Friedrich LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,194,073 A 8/1916 Romine
- 1,287,942 A 4/1918 Florey
- 1,829,526 A 10/1931 Leslie
- 2,903,713 A 9/1959 Previte
- 2,966,686 A 1/1961 Beneke, Jr.
- 3,484,876 A 12/1969 Thomas
- D237,969 S 12/1975 Firdmann
- D238,427 S 1/1976 Harrison
- D240,038 S 5/1976 Colani
- D254,684 S 4/1980 Boyter
- D261,029 S 9/1981 Boyter
- D262,733 S 1/1982 Bjorn
- D271,417 S 11/1983 Thygesen et al.
- D278,846 S 5/1985 Harrison et al.
- D287,846 S 1/1987 Nishada
- D292,018 S 9/1987 Lepoix
- 4,736,471 A 4/1988 Johnson
- D318,525 S 7/1991 Bock
- D332,830 S 1/1993 Gerlach
- D333,345 S 2/1993 Strahn
- D348,926 S 7/1994 Rasmussen
- D352,995 S 11/1994 Reid et al.
- D355,713 S 2/1995 Kelly

(57) **CLAIM**

The ornamental design for a toilet seat and cover, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective of a toilet seat and cover combination.

FIG. 2 is a rear perspective thereof.

FIG. 3 is a top plan view thereof.

FIG. 4 is a left side elevational view thereof; the right side view being a mirror image of that shown.

FIG. 5 is a front elevational view thereof.

FIG. 6 is a rear elevational view thereof.


FIG. 7 is a cross-section taken along line 7—7 in FIG. 3.

FIG. 8 is a front perspective view of the seat portion with the cover portion lifted; and,

FIG. 9 is a top plan view thereof.

The broken line showing of parts of the underside of the seat, the underside of the lid, and the hinges is for illustrative purposes only and forms no part of the claimed design. In addition, the portions of the seat and cover not shown are not part of the claimed design.

1 Claim, 4 Drawing Sheets



US D470,231 S

Page 2

U.S. PATENT DOCUMENTS

D420,436 S 2/2000 Easley
D423,655 S 4/2000 Otte
D428,126 S 7/2000 Hulsebus et al.
D432,220 S 10/2000 Hulsebus et al.
D434,839 S 12/2000 Hulsebus et al.
D437,921 S 2/2001 Hulsebus et al.

D447,794 S * 9/2001 Hulsebus et al. D23/311
D448,459 S * 9/2001 Hulsebus et al. D23/311
D449,674 S * 10/2001 Otte et al. D23/311
D453,211 S * 1/2002 Hulsebus et al. D23/311
D460,163 S * 7/2002 Hulsebus et al. D23/311

* cited by examiner




Fig. 1




Fig. 2




Fig. 3

Fig. 4




Fig. 5





Fig. 6






Fig. 7




Fig. 8




Fig. 9