



US00D470262S

(12) **United States Design Patent** (10) **Patent No.:** **US D470,262 S**  
**Yiu** (45) **Date of Patent:** **\*\* Feb. 11, 2003**

(54) **FLUORESCENT LAMP WITH ROTATABLE LAMP FIXTURE**

(76) Inventor: **Newman Lau Man Yiu**, 17<sup>th</sup> Floor,  
Room 1710, Regent Center, Tower A,  
63 Wo Yi Hop Road, Kwai Chung (HK)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/161,006**

(22) Filed: **May 17, 2002**

(51) **LOC (7) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/76**

(58) **Field of Search** ..... D26/72, 75-79;  
362/217-225

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D130,059 S	*	10/1941	Herr	.....	D26/78
D130,813 S	*	12/1941	Carter, Jr.	.....	362/217
2,345,235 A	*	3/1944	Carter, Jr.	.....	362/140
4,134,045 A	*	1/1979	Quin	.....	315/324
4,449,167 A	*	5/1984	Cohen	.....	362/269
D278,555 S	*	4/1985	Cummings	.....	D26/60
4,719,546 A	*	1/1988	Spitz	.....	362/260
4,739,454 A	*	4/1988	Federgreen	.....	362/133
4,779,178 A	*	10/1988	Spitz	.....	362/260
D311,967 S	*	11/1990	Herst et al.	.....	D26/76
5,040,101 A	*	8/1991	Aspenwall	.....	362/125
5,226,724 A	*	7/1993	Kanarek	.....	362/260
D360,270 S	*	7/1995	Shemitz	.....	D26/74
D379,546 S	*	5/1997	Littman	.....	D26/74
D386,278 S	*	11/1997	Engle et al.	.....	D26/76
5,702,176 A	*	12/1997	Engle	.....	362/219
5,765,939 A	*	6/1998	Tanner, Jr.	.....	362/219
D397,485 S	*	8/1998	Kalthoff	.....	D26/76
5,803,585 A	*	9/1998	Littman et al.	.....	362/147
D412,592 S	*	8/1999	Kowalenko et al.	.....	D26/63
6,113,248 A	*	9/2000	Mistopoulos et al.	.....	362/240
6,198,228 B1	*	3/2001	Nilssen	.....	315/185
D452,340 S	*	12/2001	Pickett et al.	.....	D26/76

\* cited by examiner

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Clare E. Heflin

(74) *Attorney, Agent, or Firm*—Merchant & Gould

(57) **CLAIM**

The ornamental design for a fluorescent lamp with rotatable lamp fixture, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view showing the front, top, and front end of my new design for a light fixture with an articulated illumination panel in a closed position, with phantom lines indicating an electrical receptacle and an on/off switch throughout the several figures which form no part of the claimed design;

FIG. 2 is a top plan view of the light fixture of FIG. 1;

FIG. 3 is a bottom plan view of the light fixture of FIG. 1;

FIG. 4 is a rear end elevation view of the light fixture of FIG. 1;

FIG. 5 is a side elevation of the light fixture of FIG. 1;

FIG. 6 is a front end elevation view of the light fixture of FIG. 1;

FIG. 7 is an opposite side elevation view of the light fixture of FIG. 1, with phantom lines indicating mounting apertures which form no part of the claimed design;

FIG. 8 is a perspective view showing the front, top and front end of the light fixture of FIG. 1 with the articulated illumination panel rotated 90 degrees;

FIG. 9 is a top plan view of the light fixture of FIG. 8;

FIG. 10 is a bottom plan view of the light fixture of FIG. 8;


FIG. 11 is a rear elevation view of the light fixture of FIG. 8;

FIG. 12 is a side elevation of the light fixture of FIG. 8;

FIG. 13 is a front end elevation view of the light fixture of FIG. 8; and,

FIG. 14 is an opposite side elevation view of the light fixture of FIG. 8, with phantom lines indicating mounting apertures which form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG 1




FIG 2



FIG 3




FIG 4




FIG 5



FIG 6




FIG 7




FIG 8




FIG 9




FIG 10




FIG 11






FIG 12




FIG 13




FIG 14