



US00D470270S

(12) **United States Design Patent**  
**Tashjian et al.**

(10) **Patent No.:** **US D470,270 S**

(45) **Date of Patent:** **\*\* Feb. 11, 2003**

(54) **COMB ATTACHMENT FOR A DISPENSER**  
(75) Inventors: **Anne Tashjian**, River Edge, NJ (US);  
**Richard S. Chomik**, Middlesex, NJ  
(US); **Susan Mills**, Ringwood, NJ (US)

(73) Assignee: **Playtex Products, Inc.**, Westport, CT  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/156,580**

(22) Filed: **Mar. 4, 2002**

(51) **LOC (7) Cl.** ..... **28-02**

(52) **U.S. Cl.** ..... **D28/7; D28/20; D28/25**

(58) **Field of Search** ..... **D28/7, 20, 25,**  
**D28/21, 31, 18; 132/112-116, 150, 158,**  
**208, 207; 401/28, 186; D9/436, 447, 338**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,088,797 A	3/1914	Smith	
1,574,418 A	2/1926	Coviello	
2,049,973 A	8/1936	Nesmith	91/67.5
2,297,714 A	* 10/1942	Nesbitt	D28/25
2,381,048 A	8/1945	Habostad	132/13
D186,350 S	* 10/1959	Lerner et al.	D28/7
2,907,358 A	10/1959	Armstrong	141/360
D193,375 S	* 8/1962	Safianoff	D28/7
3,088,470 A	5/1963	Hall	132/79
D203,895 S	* 2/1966	Klun	D9/447
3,350,159 A	10/1967	Rice, Jr.	401/190
D213,481 S	* 3/1969	Hubbell	D28/7
3,672,546 A	6/1972	Ruhle	222/402.12
D238,109 S	* 12/1975	Vitetia	D28/18
4,055,195 A	* 10/1977	Moses	132/112

4,310,009 A	1/1982	Shipp	132/88.5
4,516,591 A	5/1985	Hierholzer	132/88.7
D283,650 S	* 4/1986	Smith	D28/31
4,813,439 A	3/1989	Morgan	132/116
4,934,388 A	6/1990	Gibbs	132/116
5,054,504 A	10/1991	Winrow	132/114
5,143,717 A	9/1992	Davis	424/45
5,277,511 A	1/1994	Stockton	401/261
5,311,887 A	5/1994	Ramsey	132/114
5,415,488 A	5/1995	MacGibbon et al.	401/190
5,555,899 A	9/1996	Foreman	132/114
5,605,259 A	2/1997	Clawson et al.	222/402.23
6,260,557 B1	7/2001	Yarbrough	132/208
D450,884 S	* 11/2001	Yoshida	D28/20

\* cited by examiner

*Primary Examiner*—Lucy Lieberman

(74) *Attorney, Agent, or Firm*—Ohlandt, Greeley,  
Ruggiero&Perle, L.L.P.


(57) **CLAIM**


The ornamental design for a comb attachment for a dispenser, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a comb attachment for a dispenser according to the present invention;  
FIG. 2 is a first side view of the comb attachment for a dispenser of FIG. 1;  
FIG. 3 is a second side view, rotated ninety degrees from the first side view, of the comb attachment for a dispenser of FIG. 1;  
FIG. 4 is a first end view of the comb attachment for a dispenser of FIG. 1; and,  
FIG. 5 is a second end view, opposite the first end view, of the comb attachment for a dispenser of FIG. 4.

**1 Claim, 3 Drawing Sheets**







**FIG. 1**




**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**